

**PHP Version 5.3.26**

|  |   |
|--|---|
| <b>System</b>                                  | Linux TS269L 3.4.6 #1 SMP Wed Jan 8 05:46:55 CST 2014 x86_64  |
| <b>Build Date</b>                              | Jan 8 2014 01:34:52   |
| <b>Configure Command</b>                       | './configure' '--prefix=/root/daily_build/SMB-R-4-0-2-B20130717-branch-4.0.5/NasX86/Model/TS-1269/../../NasMgmt/HTTP/php5' '--with-config-file-path=/etc/config/php.ini' '--with-config-file-scan-dir' '--with-apxs2=/usr/local/apache/bin/apxs' '--enable-ftp' '--enable-sockets' '--with-gettext' '--with-zlib' '--with-jpeg-dir' '--with-png-dir' '--with-gd' '--with-freetype-dir=/usr' '--enable-gd-native-ttf' '--enable-mbstring' '--with-openssl-dir' '--with-libxml-dir=/opt/cross-project/x86/sys-root/usr' '--enable-sqlite-utf8' '--with-mysql=/root/daily_build/SMB-R-4-0-2-B20130717-branch-4.0.5/NasX86/Model/TS-1269/../../DataService/DBMS/mysql' '--enable-shared' '--with-mcrypt' '--enable-zend-multibyte' '--with-iconv=/opt/cross-project/x86/sys-root/usr' '--enable-exif' '--with-pdo-mysql=/root/daily_build/SMB-R-4-0-2-B20130717-branch-4.0.5/NasX86/Model/TS-1269/../../DataService/DBMS/mysql' '--with-curl=/root/daily_build/SMB-R-4-0-2-B20130717-branch-4.0.5/NasX86/Model/TS-1269/../../SysUtil/curl-7.21.0' '--with-curlwrappers=/root/daily_build/SMB-R-4-0-2-B20130717-branch-4.0.5/NasX86/Model/TS-1269/../../SysUtil/curl-7.21.0' '--with-xsl=/opt/cross-project/x86/sys-root/usr' '--with-openssl' '--with-pic=yes' '--with-mysqli' '--enable-calendar' '--enable-bcmath' '--with-ldap=/opt/cross-project/x86/sys-root/usr' '--with-ldap=/opt/cross-project/x86/sys-root/usr' '--with-imap=/opt/cross-project/x86/sys-root/usr' '--with-imap-ssl=/opt/cross-project/x86/sys-root/usr' '--enable-dba' '--enable-dbase' '--enable-shmop' '--enable-wddx' '--enable-zip' '--with-xmlrpc' '--enable-soap' '--enable-pcntl' |
| <b>Server API</b>                              | Apache 2.0 Handler  |
| <b>Virtual Directory Support</b>               | disabled  |
| <b>Configuration File (php.ini) Path</b>       | /etc/config/php.ini   |
| <b>Loaded Configuration File</b>               | /mnt/HDA_ROOT/.config/php.ini   |
| <b>Scan this dir for additional .ini files</b> | yes   |
| <b>Additional .ini files parsed</b>            | (none)  |
| <b>PHP API</b>                                 | 20090626  |
| <b>PHP Extension</b>                           | 20090626  |
| <b>Zend Extension</b>                          | 220090626   |
| <b>Zend Extension Build</b>                    | API220090626,NTS  |
| <b>PHP Extension Build</b>                     | API20090626,NTS   |
| <b>Debug Build</b>                             | no  |
| <b>Thread Safety</b>                           | disabled  |

|  |   |
|--|---|
| <b>Zend Memory Manager</b>                 | enabled   |
| <b>Zend Multibyte Support</b>              | enabled   |
| <b>IPv6 Support</b>                        | enabled   |
| <b>Registered PHP Streams</b>              | compress.zlib, dict, ftp, ftps, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, smtp, smtps, telnet, tftp, php, file, glob, data, phar, zip |
| <b>Registered Stream Socket Transports</b> | tcp, udp, unix, udg, ssl, sslv3, sslv2, tls   |
| <b>Registered Stream Filters</b>           | zlib.*, convert.iconv.*, mcrypt.*, mdecrypt.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk          |

This program makes use of the Zend Scripting Language Engine:  
 Zend Engine v2.3.0, Copyright (c) 1998-2013 Zend Technologies



with eAccelerator v0.9.6-rc1, Copyright (c) 2004-2007 eAccelerator, by eAccelerator

## PHP Credits

# Configuration apache2handler

|                             |   |
|-----------------------------|---|
| <b>Apache Version</b>       | Apache  |
| <b>Apache API Version</b>   | 20051115  |
| <b>Server Administrator</b> | admin@NAS   |
| <b>Hostname:Port</b>        | 192.168.0.120:0   |
| <b>User/Group</b>           | httpdusr(99)/0  |
| <b>Max Requests</b>         | Per Child: 0 - Keep Alive: on - Max Per Connection: 100   |
| <b>Timeouts</b>             | Connection: 300 - Keep-Alive: 15  |
| <b>Virtual Server</b>       | No  |
| <b>Server Root</b>          | /usr/local/apache   |
| <b>Loaded Modules</b>       | core mod_authn_file mod_authn_default mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_default mod_auth_basic mod_include mod_log_config mod_env mod_setenvif mod_version prefork http_core mod_mime mod_dav mod_status mod_autoindex mod_asis mod_cgi mod_dav_fs mod_dav_lock mod_vhost_alias mod_negotiation mod_dir mod_actions mod_userdir mod_alias mod_rewrite mod_so mod_php5 mod_deflate mod_ssl |

| Directive | Local Value | Master Value |
|-----------|-------------|--------------|
| engine    | 1           | 1            |

|                      |   |   |
|----------------------|---|---|
| <b>last_modified</b> | 0 | 0 |
| <b>xbithack</b>      | 0 | 0 |

## Apache Environment

| Variable                      | Value   |
|-------------------------------|---|
| <b>HTTP_HOST</b>              | 192.168.0.120   |
| <b>HTTP_USER_AGENT</b>        | Mozilla/5.0 (X11; Linux x86_64; rv:27.0) Gecko/20100101 Firefox/27.0  |
| <b>HTTP_ACCEPT</b>            | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8   |
| <b>HTTP_ACCEPT_LANGUAGE</b>   | en-us,zh-tw;q=0.8,zh;q=0.5,en;q=0.3   |
| <b>HTTP_ACCEPT_ENCODING</b>   | gzip, deflate   |
| <b>HTTP_COOKIE</b>            | ck_login_id_20=1; ck_login_language_20=en_us; ck_login_theme_20=Sugar5; nas_lang=ENG; QT=1392648276824; checkFW=; isHybrid=true; isSMB=true; NAS_USER=admin; home=1; NAS_SID=e3kdc14q |
| <b>HTTP_CONNECTION</b>        | keep-alive  |
| <b>HTTP_IF_MODIFIED_SINCE</b> | Mon, 17 Feb 2014 14:41:03 GMT   |
| <b>HTTP_CACHE_CONTROL</b>     | max-age=0   |
| <b>PATH</b>                   | /usr/local/bin:/usr/ucb:/bin:/usr/bin   |
| <b>SERVER_SIGNATURE</b>       | <address>Apache Server at 192.168.0.120 Port 80</address>   |
| <b>SERVER_SOFTWARE</b>        | Apache  |
| <b>SERVER_NAME</b>            | 192.168.0.120   |
| <b>SERVER_ADDR</b>            | 192.168.0.120   |
| <b>SERVER_PORT</b>            | 80  |
| <b>REMOTE_ADDR</b>            | 192.168.0.142   |
| <b>DOCUMENT_ROOT</b>          | /share/Web  |
| <b>SERVER_ADMIN</b>           | admin@NAS   |
| <b>SCRIPT_FILENAME</b>        | /share/Web/phpinfo.php  |
| <b>REMOTE_PORT</b>            | 48263   |
| <b>GATEWAY_INTERFACE</b>      | CGI/1.1   |
| <b>SERVER_PROTOCOL</b>        | HTTP/1.1  |
| <b>REQUEST_METHOD</b>         | GET   |
| <b>QUERY_STRING</b>           | <i>no value</i>   |
| <b>REQUEST_URI</b>            | /phpinfo.php  |
| <b>SCRIPT_NAME</b>            | /phpinfo.php  |

## HTTP Headers Information

| HTTP Request Headers |  |
|----------------------|--|
| <b>HTTP Request</b>  | GET /phpinfo.php HTTP/1.1  |
| <b>Host</b>          | 192.168.0.120  |
| <b>User-Agent</b>    | Mozilla/5.0 (X11; Linux x86_64; rv:27.0) Gecko/20100101 Firefox/27.0 |

|                              |   |
|------------------------------|---|
| <b>Accept</b>                | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8   |
| <b>Accept-Language</b>       | en-us,zh-tw;q=0.8,zh;q=0.5,en;q=0.3   |
| <b>Accept-Encoding</b>       | gzip, deflate   |
| <b>Cookie</b>                | ck_login_id_20=1; ck_login_language_20=en_us; ck_login_theme_20=Sugar5; nas_lang=ENG; QT=1392648276824; checkFW=; isHybrid=true; isSMB=true; NAS_USER=admin; home=1; NAS_SID=e3kdc14q |
| <b>Connection</b>            | keep-alive  |
| <b>If-Modified-Since</b>     | Mon, 17 Feb 2014 14:41:03 GMT   |
| <b>Cache-Control</b>         | max-age=0   |
| <b>HTTP Response Headers</b> |   |
| <b>X-Powered-By</b>          | PHP/5.3.26  |
| <b>Vary</b>                  | Accept-Encoding   |
| <b>Content-Encoding</b>      | gzip  |

## bcmath

|                       |         |
|-----------------------|---------|
| <b>BCMath support</b> | enabled |
|-----------------------|---------|

| Directive           | Local Value | Master Value |
|---------------------|-------------|--------------|
| <b>bcmath.scale</b> | 0           | 0            |

## calendar

|                         |         |
|-------------------------|---------|
| <b>Calendar support</b> | enabled |
|-------------------------|---------|

## Core

|                    |        |
|--------------------|--------|
| <b>PHP Version</b> | 5.3.26 |
|--------------------|--------|

| Directive                             | Local Value     | Master Value    |
|---------------------------------------|-----------------|-----------------|
| <b>allow_call_time_pass_reference</b> | On              | On              |
| <b>allow_url_fopen</b>                | On              | On              |
| <b>allow_url_include</b>              | Off             | Off             |
| <b>always_populate_raw_post_data</b>  | Off             | Off             |
| <b>arg_separator.input</b>            | &               | &               |
| <b>arg_separator.output</b>           | &               | &               |
| <b>asp_tags</b>                       | Off             | Off             |
| <b>auto_append_file</b>               | <i>no value</i> | <i>no value</i> |
| <b>auto_globals_jit</b>               | On              | On              |
| <b>auto_prepend_file</b>              | <i>no value</i> | <i>no value</i> |

|                                    |                           |                           |
|------------------------------------|---------------------------|---------------------------|
| <b>browscap</b>                    | <i>no value</i>           | <i>no value</i>           |
| <b>default_charset</b>             | <i>no value</i>           | <i>no value</i>           |
| <b>default_mimetype</b>            | text/html                 | text/html                 |
| <b>define_syslog_variables</b>     | Off                       | Off                       |
| <b>detect_unicode</b>              | On                        | On                        |
| <b>disable_classes</b>             | <i>no value</i>           | <i>no value</i>           |
| <b>disable_functions</b>           | <i>no value</i>           | <i>no value</i>           |
| <b>display_errors</b>              | Off                       | Off                       |
| <b>display_startup_errors</b>      | Off                       | Off                       |
| <b>doc_root</b>                    | <i>no value</i>           | <i>no value</i>           |
| <b>docref_ext</b>                  | <i>no value</i>           | <i>no value</i>           |
| <b>docref_root</b>                 | <i>no value</i>           | <i>no value</i>           |
| <b>enable_dl</b>                   | On                        | On                        |
| <b>error_append_string</b>         | <i>no value</i>           | <i>no value</i>           |
| <b>error_log</b>                   | <i>no value</i>           | <i>no value</i>           |
| <b>error_prepend_string</b>        | <i>no value</i>           | <i>no value</i>           |
| <b>error_reporting</b>             | 30711                     | 30711                     |
| <b>exit_on_timeout</b>             | Off                       | Off                       |
| <b>expose_php</b>                  | On                        | On                        |
| <b>extension_dir</b>               | /usr/local/apache/modules | /usr/local/apache/modules |
| <b>file_uploads</b>                | On                        | On                        |
| <b>highlight.bg</b>                | #FFFFFF                   | #FFFFFF                   |
| <b>highlight.comment</b>           | #FF8000                   | #FF8000                   |
| <b>highlight.default</b>           | #0000BB                   | #0000BB                   |
| <b>highlight.html</b>              | #000000                   | #000000                   |
| <b>highlight.keyword</b>           | #007700                   | #007700                   |
| <b>highlight.string</b>            | #DD0000                   | #DD0000                   |
| <b>html_errors</b>                 | On                        | On                        |
| <b>ignore_repeated_errors</b>      | Off                       | Off                       |
| <b>ignore_repeated_source</b>      | Off                       | Off                       |
| <b>ignore_user_abort</b>           | Off                       | Off                       |
| <b>implicit_flush</b>              | Off                       | Off                       |
| <b>include_path</b>                | ./etc/config/php          | ./etc/config/php          |
| <b>log_errors</b>                  | Off                       | Off                       |
| <b>log_errors_max_len</b>          | 1024                      | 1024                      |
| <b>magic_quotes_gpc</b>            | On                        | On                        |
| <b>magic_quotes_runtime</b>        | Off                       | Off                       |
| <b>magic_quotes_sybase</b>         | Off                       | Off                       |
| <b>mail.add_x_header</b>           | Off                       | Off                       |
| <b>mail.force_extra_parameters</b> | <i>no value</i>           | <i>no value</i>           |
| <b>mail.log</b>                    | <i>no value</i>           | <i>no value</i>           |
| <b>max_execution_time</b>          | 86400                     | 86400                     |
| <b>max_file_uploads</b>            | 20                        | 20                        |

|                                  |                          |                          |
|----------------------------------|--------------------------|--------------------------|
| <b>max_input_nesting_level</b>   | 64                       | 64                       |
| <b>max_input_time</b>            | 86400                    | 86400                    |
| <b>max_input_vars</b>            | 1000                     | 1000                     |
| <b>memory_limit</b>              | 256M                     | 256M                     |
| <b>open_basedir</b>              | <i>no value</i>          | <i>no value</i>          |
| <b>output_buffering</b>          | <i>no value</i>          | <i>no value</i>          |
| <b>output_handler</b>            | <i>no value</i>          | <i>no value</i>          |
| <b>post_max_size</b>             | 2047M                    | 2047M                    |
| <b>precision</b>                 | 12                       | 12                       |
| <b>realpath_cache_size</b>       | 16K                      | 16K                      |
| <b>realpath_cache_ttl</b>        | 120                      | 120                      |
| <b>register_argc_argv</b>        | On                       | On                       |
| <b>register_globals</b>          | Off                      | Off                      |
| <b>register_long_arrays</b>      | On                       | On                       |
| <b>report_memleaks</b>           | On                       | On                       |
| <b>report zend_debug</b>         | On                       | On                       |
| <b>request_order</b>             | <i>no value</i>          | <i>no value</i>          |
| <b>safe_mode</b>                 | Off                      | Off                      |
| <b>safe_mode_exec_dir</b>        | <i>no value</i>          | <i>no value</i>          |
| <b>safe_mode_gid</b>             | Off                      | Off                      |
| <b>safe_mode_include_dir</b>     | <i>no value</i>          | <i>no value</i>          |
| <b>sendmail_from</b>             | <i>no value</i>          | <i>no value</i>          |
| <b>sendmail_path</b>             | /usr/sbin/sendmail -t -i | /usr/sbin/sendmail -t -i |
| <b>serialize_precision</b>       | 100                      | 100                      |
| <b>short_open_tag</b>            | On                       | On                       |
| <b>SMTP</b>                      | localhost                | localhost                |
| <b>smtp_port</b>                 | 25                       | 25                       |
| <b>sql.safe_mode</b>             | Off                      | Off                      |
| <b>track_errors</b>              | Off                      | Off                      |
| <b>unserialize_callback_func</b> | <i>no value</i>          | <i>no value</i>          |
| <b>upload_max_filesize</b>       | 2047M                    | 2047M                    |
| <b>upload_tmp_dir</b>            | /share/Web               | /share/Web               |
| <b>user_dir</b>                  | <i>no value</i>          | <i>no value</i>          |
| <b>user_ini.cache_ttl</b>        | 300                      | 300                      |
| <b>user_ini.filename</b>         | .user.ini                | .user.ini                |
| <b>variables_order</b>           | EGPCS                    | EGPCS                    |
| <b>xmlrpc_error_number</b>       | 0                        | 0                        |
| <b>xmlrpc_errors</b>             | Off                      | Off                      |
| <b>y2k_compliance</b>            | On                       | On                       |
| <b>zend.enable_gc</b>            | On                       | On                       |

## ctype

|                        |         |
|------------------------|---------|
| <b>ctype functions</b> | enabled |
|------------------------|---------|

## curl

|                         |  |
|-------------------------|--|
| <b>cURL support</b>     | enabled  |
| <b>cURL Information</b> | 7.21.0   |
| <b>Age</b>              | 3  |
| <b>Features</b>         |  |
| <b>AsynchDNS</b>        | No   |
| <b>Debug</b>            | No   |
| <b>GSS-Negotiate</b>    | Yes  |
| <b>IDN</b>              | Yes  |
| <b>IPv6</b>             | Yes  |
| <b>Largefile</b>        | Yes  |
| <b>NTLM</b>             | Yes  |
| <b>SPNEGO</b>           | No   |
| <b>SSL</b>              | Yes  |
| <b>SSPI</b>             | No   |
| <b>krb4</b>             | No   |
| <b>libz</b>             | Yes  |
| <b>CharConv</b>         | No   |
| <b>Protocols</b>        | dict, file, ftp, ftps, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, smtp, smtps, telnet, tftp |
| <b>Host</b>             | i686-pc-linux-gnu  |
| <b>SSL Version</b>      | OpenSSL/1.0.1e   |
| <b>ZLib Version</b>     | 1.2.3.3  |

## date

|  |             |
|--|-------------|
| <b>date/time support</b>                 | enabled     |
| <b>"Olson" Timezone Database Version</b> | 2013.3      |
| <b>Timezone Database</b>                 | internal    |
| <b>Default timezone</b>                  | Asia/Taipei |

| Directive                     | Local Value | Master Value |
|-------------------------------|-------------|--------------|
| <b>date.default_latitude</b>  | 31.7667     | 31.7667      |
| <b>date.default_longitude</b> | 35.2333     | 35.2333      |
| <b>date.sunrise_zenith</b>    | 90.583333   | 90.583333    |
| <b>date.sunset_zenith</b>     | 90.583333   | 90.583333    |
| <b>date.timezone</b>          | Asia/Taipei | Asia/Taipei  |

**dba**

|                           |                               |
|---------------------------|-------------------------------|
| <b>DBA support</b>        | enabled                       |
| <b>Supported handlers</b> | cdb cdb_make inifile flatfile |

| Directive                  | Local Value | Master Value |
|----------------------------|-------------|--------------|
| <b>dba.default_handler</b> | flatfile    | flatfile     |

**dom**

|                            |          |
|----------------------------|----------|
| <b>DOM/XML</b>             | enabled  |
| <b>DOM/XML API Version</b> | 20031129 |
| <b>libxml Version</b>      | 2.6.30   |
| <b>HTML Support</b>        | enabled  |
| <b>XPath Support</b>       | enabled  |
| <b>XPointer Support</b>    | enabled  |
| <b>Schema Support</b>      | enabled  |
| <b>RelaxNG Support</b>     | enabled  |

**eAccelerator**

|                             |                  |
|-----------------------------|------------------|
| <b>eAccelerator support</b> | <b>enabled</b>   |
| <b>Version</b>              | 0.9.6-rc1        |
| <b>Caching Enabled</b>      | true             |
| <b>Memory Size</b>          | 33,554,396 Bytes |
| <b>Memory Available</b>     | 33,551,860 Bytes |
| <b>Memory Allocated</b>     | 2,536 Bytes      |
| <b>Cached Scripts</b>       | 1                |
| <b>Removed Scripts</b>      | 0                |

| Directive                              | Local Value        | Master Value       |
|--|--------------------|--------------------|
| <b>eaccelerator.allowed_admin_path</b> | <i>no value</i>    | <i>no value</i>    |
| <b>eaccelerator.cache_dir</b>          | /.eaccelerator.tmp | /.eaccelerator.tmp |
| <b>eaccelerator.check_mtime</b>        | 1                  | 1                  |
| <b>eaccelerator.debug</b>              | 0                  | 0                  |
| <b>eaccelerator.enable</b>             | 1                  | 1                  |
| <b>eaccelerator.filter</b>             | <i>no value</i>    | <i>no value</i>    |
| <b>eaccelerator.log_file</b>           | <i>no value</i>    | <i>no value</i>    |
| <b>eaccelerator.shm_max</b>            | 1M                 | 1M                 |
| <b>eaccelerator.shm_only</b>           | 0                  | 0                  |
| <b>eaccelerator.shm_prune_period</b>   | 3600               | 3600               |
| <b>eaccelerator.shm_size</b>           | 32                 | 32                 |



|                      |   |   |
|----------------------|---|---|
| eaccelerator.shm_ttl | 0 | 0 |
|----------------------|---|---|

## ereg

|               |                         |
|---------------|-------------------------|
| Regex Library | Bundled library enabled |
|---------------|-------------------------|

## exif

|                        |            |
|------------------------|------------|
| EXIF Support           | enabled    |
| EXIF Version           | 1.4 \$Id\$ |
| Supported EXIF Version | 0220       |
| Supported filetypes    | JPEG, TIFF |

| Directive                    | Local Value     | Master Value    |
|------------------------------|-----------------|-----------------|
| exif.decode_jis_intel        | JIS             | JIS             |
| exif.decode_jis_motorola     | JIS             | JIS             |
| exif.decode_unicode_intel    | UCS-2LE         | UCS-2LE         |
| exif.decode_unicode_motorola | UCS-2BE         | UCS-2BE         |
| exif.encode_jis              | <i>no value</i> | <i>no value</i> |
| exif.encode_unicode          | ISO-8859-15     | ISO-8859-15     |

## fileinfo

|                  |           |
|------------------|-----------|
| fileinfo support | enabled   |
| version          | 1.0.5-dev |

## filter

|                                |   |
|--------------------------------|---|
| Input Validation and Filtering | enabled   |
| Revision                       | \$Id: 209a1c3c98c04a5474846e7bbe8ca72054ccfd4f \$ |

| Directive            | Local Value     | Master Value    |
|----------------------|-----------------|-----------------|
| filter.default       | unsafe_raw      | unsafe_raw      |
| filter.default_flags | <i>no value</i> | <i>no value</i> |

## ftp

|             |         |
|-------------|---------|
| FTP support | enabled |
|-------------|---------|

## gd

|                           |                            |
|---------------------------|----------------------------|
| <b>GD Support</b>         | enabled                    |
| <b>GD Version</b>         | bundled (2.1.0 compatible) |
| <b>FreeType Support</b>   | enabled                    |
| <b>FreeType Linkage</b>   | with freetype              |
| <b>FreeType Version</b>   | 2.3.5                      |
| <b>GIF Read Support</b>   | enabled                    |
| <b>GIF Create Support</b> | enabled                    |
| <b>JPEG Support</b>       | enabled                    |
| <b>libJPEG Version</b>    | 6b                         |
| <b>PNG Support</b>        | enabled                    |
| <b>libPNG Version</b>     | 1.2.15beta5                |
| <b>WBMP Support</b>       | enabled                    |
| <b>XBM Support</b>        | enabled                    |

| Directive              | Local Value | Master Value |
|------------------------|-------------|--------------|
| gd.jpeg_ignore_warning | 0           | 0            |

## gettext

|                        |         |
|------------------------|---------|
| <b>GetText Support</b> | enabled |
|------------------------|---------|

## hash

|                        |  |
|------------------------|--|
| <b>hash support</b>    | enabled  |
| <b>Hashing Engines</b> | md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5 |

## iconv

|                              |         |
|------------------------------|---------|
| <b>iconv support</b>         | enabled |
| <b>iconv implementation</b>  | glibc   |
| <b>iconv library version</b> | 1.9     |

| Directive               | Local Value | Master Value |
|-------------------------|-------------|--------------|
| iconv.input_encoding    | ISO-8859-1  | ISO-8859-1   |
| iconv.internal_encoding | ISO-8859-1  | ISO-8859-1   |
| iconv.output_encoding   | ISO-8859-1  | ISO-8859-1   |

## imagemagick

|   |  |
|---|--|
| <b>imagemagick module</b>                       | <b>enabled</b>   |
| <b>imagemagick module version</b>               | 2.3.0  |
| <b>imagemagick classes</b>                      | ImageMagick, ImageMagickDraw, ImageMagickPixel, ImageMagickPixelIterator   |
| <b>ImageMagick version</b>                      | ImageMagick 6.6.1-5 2014-01-08 Q16 <a href="http://www.imagemagick.org">http://www.imagemagick.org</a>   |
| <b>ImageMagick copyright</b>                    | Copyright (C) 1999-2010 ImageMagick Studio LLC   |
| <b>ImageMagick release date</b>                 | 2014-01-08   |
| <b>ImageMagick Number of supported formats:</b> | 181  |
| <b>ImageMagick Supported formats</b>            | 3FR, A, AI, ART, ARW, AVI, AVS, B, BGR, BGRA, BMP, BMP2, BMP3, BRG, C, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, ERF, FAX, FITS, FRACTAL, FTS, G, G3, GBR, GIF, GIF87, GRADIENT, GRAY, GRB, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, JNG, JPEG, JPG, K, K25, KDC, LABEL, M, M2V, M4V, MAP, MAT, MATTE, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFA, PEF, PES, PFA, PFB, PFM, PGM, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PWP, R, RADIAL-GRADIENT, RAF, RAS, RBG, RGB, RGBA, RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, SVG, SVGZ, TEXT, TGA, THUMBNAIL, TILE, TIM, TTC, TTF, TXT, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMV, WPG, X3F, XBM, XC, XCF, XPM, XPS, XV, Y, YCbCr, YCbCrA, YUV |

| Directive                           | Local Value | Master Value |
|-------------------------------------|-------------|--------------|
| <b>imagemagick.locale_fix</b>       | 0           | 0            |
| <b>imagemagick.progress_monitor</b> | 0           | 0            |

## imap

|                              |         |
|------------------------------|---------|
| <b>IMAP c-Client Version</b> | 2007e   |
| <b>SSL Support</b>           | enabled |

## json

|                     |         |
|---------------------|---------|
| <b>json support</b> | enabled |
| <b>json version</b> | 1.2.1   |

## ldap

|                       |             |
|-----------------------|-------------|
| <b>LDAP Support</b>   | enabled     |
| <b>RCS Version</b>    | \$Id\$      |
| <b>Total Links</b>    | 0/unlimited |
| <b>API Version</b>    | 3001        |
| <b>Vendor Name</b>    | OpenLDAP    |
| <b>Vendor Version</b> | 20407       |

| Directive             | Local Value | Master Value |
|-----------------------|-------------|--------------|
| <b>ldap.max_links</b> | Unlimited   | Unlimited    |

## libxml

|                                |         |
|--------------------------------|---------|
| <b>libXML support</b>          | active  |
| <b>libXML Compiled Version</b> | 2.6.30  |
| <b>libXML Loaded Version</b>   | 20630   |
| <b>libXML streams</b>          | enabled |

## mbstring

|  |          |
|--|----------|
| <b>Multibyte Support</b>               | enabled  |
| <b>Multibyte string engine</b>         | libmbfl  |
| <b>HTTP input encoding translation</b> | disabled |

**mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.**

|  |         |
|--|---------|
| <b>Multibyte (japanese) regex support</b>          | enabled |
| <b>Multibyte regex (oniguruma) backtrack check</b> | On      |
| <b>Multibyte regex (oniguruma) version</b>         | 4.7.1   |

| Directive                                  | Local Value                      | Master Value                     |
|--|----------------------------------|----------------------------------|
| <b>mbstring.detect_order</b>               | <i>no value</i>                  | <i>no value</i>                  |
| <b>mbstring.encoding_translation</b>       | Off                              | Off                              |
| <b>mbstring.func_overload</b>              | 0                                | 0                                |
| <b>mbstring.http_input</b>                 | pass                             | pass                             |
| <b>mbstring.http_output</b>                | pass                             | pass                             |
| <b>mbstring.http_output_conv_mimetypes</b> | ^(text/ application /xhtml\+xml) | ^(text/ application /xhtml\+xml) |
| <b>mbstring.internal_encoding</b>          | <i>no value</i>                  | <i>no value</i>                  |
| <b>mbstring.language</b>                   | neutral                          | neutral                          |
| <b>mbstring.script_encoding</b>            | <i>no value</i>                  | <i>no value</i>                  |
| <b>mbstring.strict_detection</b>           | Off                              | Off                              |
| <b>mbstring.substitute_character</b>       | <i>no value</i>                  | <i>no value</i>                  |

## mcrypt

|                              |  |
|------------------------------|--|
| <b>mcrypt support</b>        | <b>enabled</b>   |
| <b>mcrypt_filter support</b> | <b>enabled</b>   |
| <b>Version</b>               | 2.5.7  |
| <b>Api No</b>                | 20021217   |
| <b>Supported ciphers</b>     | cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes |
| <b>Supported modes</b>       | cbc cfb ctr ecb ncfb nofb ofb stream   |

| Directive                    | Local Value     | Master Value    |
|------------------------------|-----------------|-----------------|
| <b>mcrypt.algorithms_dir</b> | <i>no value</i> | <i>no value</i> |
| <b>mcrypt.modes_dir</b>      | <i>no value</i> | <i>no value</i> |

## mysql

|                                |  |
|--------------------------------|--|
| <b>MySQL Support</b>           | <b>enabled</b>   |
| <b>Active Persistent Links</b> | 0  |
| <b>Active Links</b>            | 0  |
| <b>Client API version</b>      | 5.1.36   |
| <b>MYSQL_MODULE_TYPE</b>       | external   |
| <b>MYSQL_SOCKET</b>            | /tmp/mysql.sock  |
| <b>MYSQL_INCLUDE</b>           | -I/root/daily_build/SMB-R-4-0-2-B20130717-branch-4.0.5/NasX86/Model/TS-1269/../../DataService/DBMS/mysql/include/mysql           |
| <b>MYSQL_LIBS</b>              | -L/root/daily_build/SMB-R-4-0-2-B20130717-branch-4.0.5/NasX86/Model/TS-1269/../../DataService/DBMS/mysql/lib/mysql -lmysqlclient |

| Directive                       | Local Value     | Master Value    |
|---------------------------------|-----------------|-----------------|
| <b>mysql.allow_local_infile</b> | On              | On              |
| <b>mysql.allow_persistent</b>   | On              | On              |
| <b>mysql.connect_timeout</b>    | 60              | 60              |
| <b>mysql.default_host</b>       | <i>no value</i> | <i>no value</i> |
| <b>mysql.default_password</b>   | <i>no value</i> | <i>no value</i> |
| <b>mysql.default_port</b>       | <i>no value</i> | <i>no value</i> |
| <b>mysql.default_socket</b>     | /tmp/mysql.sock | /tmp/mysql.sock |
| <b>mysql.default_user</b>       | <i>no value</i> | <i>no value</i> |
| <b>mysql.max_links</b>          | Unlimited       | Unlimited       |
| <b>mysql.max_persistent</b>     | Unlimited       | Unlimited       |
| <b>mysql.trace_mode</b>         | Off             | Off             |

## mysqli

| Mysqli Support             | enabled         |
|----------------------------|-----------------|
| Client API library version | 5.1.36          |
| Active Persistent Links    | 0               |
| Inactive Persistent Links  | 0               |
| Active Links               | 0               |
| Client API header version  | 5.1.36          |
| MYSQLI_SOCKET              | /tmp/mysql.sock |

| Directive                 | Local Value     | Master Value    |
|---------------------------|-----------------|-----------------|
| mysqli.allow_local_infile | On              | On              |
| mysqli.allow_persistent   | On              | On              |
| mysqli.default_host       | <i>no value</i> | <i>no value</i> |
| mysqli.default_port       | 3306            | 3306            |
| mysqli.default_pw         | <i>no value</i> | <i>no value</i> |
| mysqli.default_socket     | <i>no value</i> | <i>no value</i> |
| mysqli.default_user       | <i>no value</i> | <i>no value</i> |
| mysqli.max_links          | Unlimited       | Unlimited       |
| mysqli.max_persistent     | Unlimited       | Unlimited       |
| mysqli.reconnect          | Off             | Off             |

## openssl

|                         |                            |
|-------------------------|----------------------------|
| OpenSSL support         | enabled                    |
| OpenSSL Library Version | OpenSSL 1.0.1e 11 Feb 2013 |
| OpenSSL Header Version  | OpenSSL 1.0.1e 11 Feb 2013 |

## pcre

|  |                 |
|--|-----------------|
| PCRE (Perl Compatible Regular Expressions) Support | enabled         |
| PCRE Library Version                               | 8.32 2012-11-30 |

| Directive            | Local Value | Master Value |
|----------------------|-------------|--------------|
| pcre.backtrack_limit | 1000000     | 1000000      |
| pcre.recursion_limit | 100000      | 100000       |

## PDO

| PDO support | enabled                |
|-------------|------------------------|
| PDO drivers | mysql, sqlite, sqlite2 |

## pdo\_mysql

|                             |                |
|-----------------------------|----------------|
| <b>PDO Driver for MySQL</b> | <b>enabled</b> |
| <b>Client API version</b>   | 5.1.36         |

| Directive                       | Local Value     | Master Value    |
|---------------------------------|-----------------|-----------------|
| <b>pdo_mysql.default_socket</b> | /tmp/mysql.sock | /tmp/mysql.sock |

## pdo\_sqlite

|                                  |                |
|----------------------------------|----------------|
| <b>PDO Driver for SQLite 3.x</b> | <b>enabled</b> |
| <b>SQLite Library</b>            | 3.7.7.1        |

## Phar

|                                  |   |
|----------------------------------|---|
| <b>Phar: PHP Archive support</b> | <b>enabled</b>                                    |
| <b>Phar EXT version</b>          | 2.0.1   |
| <b>Phar API version</b>          | 1.1.1   |
| <b>SVN revision</b>              | \$Id: 21d763042eb5769ae0a09dc1118df2b5aae6fb33 \$ |
| <b>Phar-based phar archives</b>  | enabled   |
| <b>Tar-based phar archives</b>   | enabled   |
| <b>ZIP-based phar archives</b>   | enabled   |
| <b>gzip compression</b>          | enabled   |
| <b>bzip2 compression</b>         | disabled (install pecl/bz2)                       |
| <b>Native OpenSSL support</b>    | enabled   |

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
 Phar fully realized by Gregory Beaver and Marcus Boerger.  
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

| Directive                | Local Value     | Master Value    |
|--------------------------|-----------------|-----------------|
| <b>phar.cache_list</b>   | <i>no value</i> | <i>no value</i> |
| <b>phar.readonly</b>     | On              | On              |
| <b>phar.require_hash</b> | On              | On              |

## posix

|                 |  |
|-----------------|--|
| <b>Revision</b> | \$Id: 5a2da3946b96c5afb3aff8db8a8681f8bedee85 \$ |
|-----------------|--|

## Reflection

|                   |                |
|-------------------|----------------|
| <b>Reflection</b> | <b>enabled</b> |
|-------------------|----------------|

|                |   |
|----------------|---|
| <b>Version</b> | \$Id: 4af6c4c676864b1c0bfa693845af0688645c37cf \$ |
|----------------|---|

## session

|                                       |                     |
|---------------------------------------|---------------------|
| <b>Session Support</b>                | enabled             |
| <b>Registered save handlers</b>       | files user sqlite   |
| <b>Registered serializer handlers</b> | php php_binary wddx |

| Directive                              | Local Value                            | Master Value                           |
|--|--|--|
| <b>session.auto_start</b>              | Off                                    | Off                                    |
| <b>session.bug_compat_42</b>           | On                                     | On                                     |
| <b>session.bug_compat_warn</b>         | On                                     | On                                     |
| <b>session.cache_expire</b>            | 180                                    | 180                                    |
| <b>session.cache_limiter</b>           | nocache                                | nocache                                |
| <b>session.cookie_domain</b>           | <i>no value</i>                        | <i>no value</i>                        |
| <b>session.cookie_httponly</b>         | Off                                    | Off                                    |
| <b>session.cookie_lifetime</b>         | 0                                      | 0                                      |
| <b>session.cookie_path</b>             | /                                      | /                                      |
| <b>session.cookie_secure</b>           | Off                                    | Off                                    |
| <b>session.entropy_file</b>            | <i>no value</i>                        | <i>no value</i>                        |
| <b>session.entropy_length</b>          | 0                                      | 0                                      |
| <b>session.gc_divisor</b>              | 100                                    | 100                                    |
| <b>session.gc_maxlifetime</b>          | 1440                                   | 1440                                   |
| <b>session.gc_probability</b>          | 1                                      | 1                                      |
| <b>session.hash_bits_per_character</b> | 4                                      | 4                                      |
| <b>session.hash_function</b>           | 0                                      | 0                                      |
| <b>session.name</b>                    | PHPSESSID                              | PHPSESSID                              |
| <b>session.referer_check</b>           | <i>no value</i>                        | <i>no value</i>                        |
| <b>session.save_handler</b>            | files                                  | files                                  |
| <b>session.save_path</b>               | /share/CACHEDEV1_DATA<br>/.php_session | /share/CACHEDEV1_DATA<br>/.php_session |
| <b>session.serialize_handler</b>       | php                                    | php                                    |
| <b>session.use_cookies</b>             | On                                     | On                                     |
| <b>session.use_only_cookies</b>        | On                                     | On                                     |
| <b>session.use_trans_sid</b>           | 0                                      | 0                                      |

## shmop

|                      |         |
|----------------------|---------|
| <b>shmop support</b> | enabled |
|----------------------|---------|

## SimpleXML



|                          |   |
|--------------------------|---|
| <b>Simplexml support</b> | <b>enabled</b>                                    |
| <b>Revision</b>          | \$Id: 02ab7893b36d51e9c59da77d7e287eb3b35e1e32 \$ |
| <b>Schema support</b>    | enabled   |

## soap

|                    |         |
|--------------------|---------|
| <b>Soap Client</b> | enabled |
| <b>Soap Server</b> | enabled |

| Directive                      | Local Value | Master Value |
|--------------------------------|-------------|--------------|
| <b>soap.wsdl_cache</b>         | 1           | 1            |
| <b>soap.wsdl_cache_dir</b>     | /tmp        | /tmp         |
| <b>soap.wsdl_cache_enabled</b> | 1           | 1            |
| <b>soap.wsdl_cache_limit</b>   | 5           | 5            |
| <b>soap.wsdl_cache_ttl</b>     | 86400       | 86400        |

## sockets

|                        |         |
|------------------------|---------|
| <b>Sockets Support</b> | enabled |
|------------------------|---------|

## SPL

|                    |  |
|--------------------|--|
| <b>SPL support</b> | <b>enabled</b>   |
| <b>Interfaces</b>  | Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject   |
| <b>Classes</b>     | AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException |

## SQLite

|                            |                |
|----------------------------|----------------|
| <b>SQLite support</b>      | <b>enabled</b> |
| <b>PECL Module version</b> | 2.0-dev \$Id\$ |
| <b>SQLite Library</b>      | 2.8.17         |
| <b>SQLite Encoding</b>     | UTF-8          |

| Directive         | Local Value | Master Value |
|-------------------|-------------|--------------|
| sqlite.assoc_case | 0           | 0            |

## sqlite3

|                               |                |
|-------------------------------|----------------|
| <b>SQLite3 support</b>        | <b>enabled</b> |
| <b>SQLite3 module version</b> | 0.7-dev        |
| <b>SQLite Library</b>         | 3.7.7.1        |

| Directive             | Local Value     | Master Value    |
|-----------------------|-----------------|-----------------|
| sqlite3.extension_dir | <i>no value</i> | <i>no value</i> |

## standard

|                                |                          |
|--------------------------------|--------------------------|
| <b>Dynamic Library Support</b> | enabled                  |
| <b>Path to sendmail</b>        | /usr/sbin/sendmail -t -i |

| Directive                    | Local Value  |                 |
|------------------------------|--|-----------------|
| assert.active                | 1  | 1               |
| assert.bail                  | 0  | 0               |
| assert.callback              | <i>no value</i>                                      | <i>no value</i> |
| assert.quiet_eval            | 0  | 0               |
| assert.warning               | 1  | 1               |
| auto_detect_line_endings     | 0  | 0               |
| default_socket_timeout       | 300  | 300             |
| from                         | <i>no value</i>                                      | <i>no value</i> |
| safe_mode_allowed_env_vars   | PHP_   | PHP_            |
| safe_mode_protected_env_vars | LD_LIBRARY_PATH                                      | LD_LIBRARY_!    |
| url_rewriter.tags            | a=href,area=href,frame=src,input=src,form=,fieldset= | a=href,area=    |
| user_agent                   | <i>no value</i>                                      | <i>no value</i> |

## tokenizer

|                          |         |
|--------------------------|---------|
| <b>Tokenizer Support</b> | enabled |
|--------------------------|---------|

## wddx

|                                |                |
|--------------------------------|----------------|
| <b>WDDX Support</b>            | <b>enabled</b> |
| <b>WDDX Session Serializer</b> | enabled        |

**xml**

|                              |        |
|------------------------------|--------|
| <b>XML Support</b>           | active |
| <b>XML Namespace Support</b> | active |
| <b>libxml2 Version</b>       | 2.6.30 |

**xmlreader**

|                  |         |
|------------------|---------|
| <b>XMLReader</b> | enabled |
|------------------|---------|

**xmlrpc**

|                              |   |
|------------------------------|---|
| <b>core library version</b>  | xmlrpc-epi v. 0.51  |
| <b>php extension version</b> | 0.51  |
| <b>author</b>                | Dan Libby   |
| <b>homepage</b>              | <a href="http://xmlrpc-epi.sourceforge.net">http://xmlrpc-epi.sourceforge.net</a> |
| <b>open sourced by</b>       | Epinions.com  |

**xmlwriter**

|                  |         |
|------------------|---------|
| <b>XMLWriter</b> | enabled |
|------------------|---------|

**xsl**

|  |         |
|--|---------|
| <b>XSL</b>                                     | enabled |
| <b>libxslt Version</b>                         | 1.1.22  |
| <b>libxslt compiled against libxml Version</b> | 2.6.30  |
| <b>EXSLT</b>                                   | enabled |
| <b>libexslt Version</b>                        | 1.1.22  |

**zip**

|                          |   |
|--------------------------|---|
| <b>Zip</b>               | enabled   |
| <b>Extension Version</b> | \$Id: b1a1a3628c4ed0ad78fb0cc4a99b06a56aa281c4 \$ |
| <b>Zip version</b>       | 1.11.0  |
| <b>Libzip version</b>    | 0.10.1  |

**zlib**

|                     |         |
|---------------------|---------|
| <b>ZLib Support</b> | enabled |
|---------------------|---------|

|                               |                            |
|-------------------------------|----------------------------|
| <b>Stream Wrapper support</b> | compress.zlib://           |
| <b>Stream Filter support</b>  | zlib.inflate, zlib.deflate |
| <b>Compiled Version</b>       | 1.2.3.3                    |
| <b>Linked Version</b>         | 1.2.3.3                    |

| Directive                            | Local Value     | Master Value    |
|--------------------------------------|-----------------|-----------------|
| <b>zlib.output_compression</b>       | Off             | Off             |
| <b>zlib.output_compression_level</b> | -1              | -1              |
| <b>zlib.output_handler</b>           | <i>no value</i> | <i>no value</i> |

## Additional Modules

| Module Name |
|-------------|
|-------------|

## Environment

| Variable                    | Value   |
|-----------------------------|---|
| <b>HTTP_USER_AGENT</b>      | Mozilla/5.0 (X11; Linux x86_64; rv:27.0) Gecko/20100101 Firefox/27.0  |
| <b>SERVER_PORT</b>          | 58080   |
| <b>HTTP_HOST</b>            | 192.168.0.120   |
| <b>SCRIPT_NAME</b>          | /cgi-bin/net/networkRequest.cgi                                       |
| <b>AUTH_TYPE</b>            | Basic   |
| <b>PATH</b>                 | /usr/local/bin:/usr/ucb:/bin:/usr/bin                                 |
| <b>_</b>                    | /usr/local/apache/bin/apache  |
| <b>PWD</b>                  | /home/httpd/cgi-bin/net   |
| <b>REMOTE_PWD</b>           | <i>no value</i>   |
| <b>HTTP_REFERER</b>         | http://192.168.0.120:8080/cgi-bin/main.html?4.0.5.20140108.1392645207 |
| <b>HTTP_ACCEPT</b>          | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8       |
| <b>REMOTE_ADDR</b>          | 192.168.0.142   |
| <b>SERVER_NAME</b>          | 127.0.0.1   |
| <b>SHLVL</b>                | 4   |
| <b>CONTENT_LENGTH</b>       | 111   |
| <b>SERVER_SOFTWARE</b>      | http server 1.0   |
| <b>QUERY_STRING</b>         | &subfunc  |
| <b>GATEWAY_INTERFACE</b>    | CGI/1.1   |
| <b>SERVER_PROTOCOL</b>      | HTTP/1.1  |
| <b>CGI_PATTERN</b>          | **.*  |
| <b>HTTP_ACCEPT_ENCODING</b> | gzip, deflate   |
| <b>ACCEPT_LANGUAGE</b>      | en-us,zh-tw;q=0.8,zh;q=0.5,en;q=0.3                                   |
| <b>CONTENT_TYPE</b>         | application/x-www-form-urlencoded; charset=UTF-8                      |
| <b>REQUEST_METHOD</b>       | POST  |

|                    |   |
|--------------------|---|
| <b>HTTP_COOKIE</b> | DESKTOP=1; nas_2_s=e3kdc14q; WINDOW_MODE=1; ck_login_id_20=1; ck_login_language_20=en_us; ck_login_theme_20=Sugar5; nas_lang=ENG; QT=1392648250728; checkFW=; isHybrid=true; isSMB=true; NAS_USER=admin; home=1; NAS_SID=e3kdc14q |
|--------------------|---|

## PHP Variables

| Variable                                 | Value   |
|--|---|
| <b>_REQUEST["ck_login_id_20"]</b>        | 1   |
| <b>_REQUEST["ck_login_language_20"]</b>  | en_us   |
| <b>_REQUEST["ck_login_theme_20"]</b>     | Sugar5  |
| <b>_REQUEST["nas_lang"]</b>              | ENG   |
| <b>_REQUEST["QT"]</b>                    | 1392648276824   |
| <b>_REQUEST["checkFW"]</b>               | <i>no value</i>   |
| <b>_REQUEST["isHybrid"]</b>              | true  |
| <b>_REQUEST["isSMB"]</b>                 | true  |
| <b>_REQUEST["NAS_USER"]</b>              | admin   |
| <b>_REQUEST["home"]</b>                  | 1   |
| <b>_REQUEST["NAS_SID"]</b>               | e3kdc14q  |
| <b>_COOKIE["ck_login_id_20"]</b>         | 1   |
| <b>_COOKIE["ck_login_language_20"]</b>   | en_us   |
| <b>_COOKIE["ck_login_theme_20"]</b>      | Sugar5  |
| <b>_COOKIE["nas_lang"]</b>               | ENG   |
| <b>_COOKIE["QT"]</b>                     | 1392648276824   |
| <b>_COOKIE["checkFW"]</b>                | <i>no value</i>   |
| <b>_COOKIE["isHybrid"]</b>               | true  |
| <b>_COOKIE["isSMB"]</b>                  | true  |
| <b>_COOKIE["NAS_USER"]</b>               | admin   |
| <b>_COOKIE["home"]</b>                   | 1   |
| <b>_COOKIE["NAS_SID"]</b>                | e3kdc14q  |
| <b>_SERVER["HTTP_HOST"]</b>              | 192.168.0.120   |
| <b>_SERVER["HTTP_USER_AGENT"]</b>        | Mozilla/5.0 (X11; Linux x86_64; rv:27.0) Gecko/20100101 Firefox/27.0  |
| <b>_SERVER["HTTP_ACCEPT"]</b>            | text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8   |
| <b>_SERVER["HTTP_ACCEPT_LANGUAGE"]</b>   | en-us,zh-tw;q=0.8,zh;q=0.5,en;q=0.3   |
| <b>_SERVER["HTTP_ACCEPT_ENCODING"]</b>   | gzip, deflate   |
| <b>_SERVER["HTTP_COOKIE"]</b>            | ck_login_id_20=1; ck_login_language_20=en_us; ck_login_theme_20=Sugar5; nas_lang=ENG; QT=1392648276824; checkFW=; isHybrid=true; isSMB=true; NAS_USER=admin; home=1; NAS_SID=e3kdc14q |
| <b>_SERVER["HTTP_CONNECTION"]</b>        | keep-alive  |
| <b>_SERVER["HTTP_IF_MODIFIED_SINCE"]</b> | Mon, 17 Feb 2014 14:41:03 GMT   |
| <b>_SERVER["HTTP_CACHE_CONTROL"]</b>     | max-age=0   |

|                                     |   |
|-------------------------------------|---|
| <b>_SERVER["PATH"]</b>              | /usr/local/bin:/usr/ucb:/bin:/usr/bin                                     |
| <b>_SERVER["SERVER_SIGNATURE"]</b>  | <address>Apache Server at 192.168.0.120 Port 80</address>                 |
| <b>_SERVER["SERVER_SOFTWARE"]</b>   | Apache  |
| <b>_SERVER["SERVER_NAME"]</b>       | 192.168.0.120   |
| <b>_SERVER["SERVER_ADDR"]</b>       | 192.168.0.120   |
| <b>_SERVER["SERVER_PORT"]</b>       | 80  |
| <b>_SERVER["REMOTE_ADDR"]</b>       | 192.168.0.142   |
| <b>_SERVER["DOCUMENT_ROOT"]</b>     | /share/Web  |
| <b>_SERVER["SERVER_ADMIN"]</b>      | admin@NAS   |
| <b>_SERVER["SCRIPT_FILENAME"]</b>   | /share/Web/phpinfo.php  |
| <b>_SERVER["REMOTE_PORT"]</b>       | 48263   |
| <b>_SERVER["GATEWAY_INTERFACE"]</b> | CGI/1.1   |
| <b>_SERVER["SERVER_PROTOCOL"]</b>   | HTTP/1.1  |
| <b>_SERVER["REQUEST_METHOD"]</b>    | GET   |
| <b>_SERVER["QUERY_STRING"]</b>      | <i>no value</i>   |
| <b>_SERVER["REQUEST_URI"]</b>       | /phpinfo.php  |
| <b>_SERVER["SCRIPT_NAME"]</b>       | /phpinfo.php  |
| <b>_SERVER["PHP_SELF"]</b>          | /phpinfo.php  |
| <b>_SERVER["REQUEST_TIME"]</b>      | 1392648261  |
| <b>_SERVER["argv"]</b>              | Array<br>(<br>)   |
| <b>_SERVER["argc"]</b>              | 0   |
| <b>_ENV["HTTP_USER_AGENT"]</b>      | Mozilla/5.0 (X11; Linux x86_64; rv:27.0)<br>Gecko/20100101 Firefox/27.0   |
| <b>_ENV["SERVER_PORT"]</b>          | 58080   |
| <b>_ENV["HTTP_HOST"]</b>            | 192.168.0.120   |
| <b>_ENV["SCRIPT_NAME"]</b>          | /cgi-bin/net/networkRequest.cgi   |
| <b>_ENV["AUTH_TYPE"]</b>            | Basic   |
| <b>_ENV["PATH"]</b>                 | /usr/local/bin:/usr/ucb:/bin:/usr/bin                                     |
| <b>_ENV["_"]</b>                    | /usr/local/apache/bin/apache  |
| <b>_ENV["PWD"]</b>                  | /home/httpd/cgi-bin/net   |
| <b>_ENV["REMOTE_PWD"]</b>           | <i>no value</i>   |
| <b>_ENV["HTTP_REFERER"]</b>         | http://192.168.0.120:8080/cgi-bin<br>/main.html?4.0.5.20140108.1392645207 |
| <b>_ENV["HTTP_ACCEPT"]</b>          | text/html,application/xhtml+xml,application<br>/xml;q=0.9,*/*;q=0.8       |
| <b>_ENV["REMOTE_ADDR"]</b>          | 192.168.0.142   |
| <b>_ENV["SERVER_NAME"]</b>          | 127.0.0.1   |
| <b>_ENV["SHLVL"]</b>                | 4   |
| <b>_ENV["CONTENT_LENGTH"]</b>       | 111   |
| <b>_ENV["SERVER_SOFTWARE"]</b>      | http server 1.0   |
| <b>_ENV["QUERY_STRING"]</b>         | &subfunc  |
| <b>_ENV["GATEWAY_INTERFACE"]</b>    | CGI/1.1   |

|                                     |   |
|-------------------------------------|---|
| <b>_ENV["SERVER_PROTOCOL"]</b>      | HTTP/1.1  |
| <b>_ENV["CGI_PATTERN"]</b>          | **.*  |
| <b>_ENV["HTTP_ACCEPT_ENCODING"]</b> | gzip, deflate   |
| <b>_ENV["ACCEPT_LANGUAGE"]</b>      | en-us,zh-tw;q=0.8,zh;q=0.5,en;q=0.3   |
| <b>_ENV["CONTENT_TYPE"]</b>         | application/x-www-form-urlencoded; charset=UTF-8  |
| <b>_ENV["REQUEST_METHOD"]</b>       | POST  |
| <b>_ENV["HTTP_COOKIE"]</b>          | DESKTOP=1; nas_2_s=e3kdc14q; WINDOW_MODE=1; ck_login_id_20=1; ck_login_language_20=en_us; ck_login_theme_20=Sugar5; nas_lang=ENG; QT=1392648250728; checkFW=; isHybrid=true; isSMB=true; NAS_USER=admin; home=1; NAS_SID=e3kdc14q |

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).