

PHP Version 5.3.16

System	Linux AS602T 3.7.9 #1 SMP Fri Nov 1 17:57:28 CST 2013 x86_64
Build Date	Aug 23 2013 11:51:31
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/usr/builtin/etc/php5/apache2
Loaded Configuration File	/volume0/usr/builtin/etc/php5/apache2/php.ini
Scan this dir for additional .ini files	/usr/builtin/etc/php5/apache2/conf.d
Additional .ini files parsed	/usr/builtin/etc/php5/apache2/conf.d/curl.ini, /usr/builtin/etc/php5/apache2/conf.d/enchant.ini, /usr/builtin/etc/php5/apache2/conf.d/gd.ini, /usr/builtin/etc/php5/apache2/conf.d/gmp.ini, /usr/builtin/etc/php5/apache2/conf.d/intl.ini, /usr/builtin/etc/php5/apache2/conf.d/mcrypt.ini, /usr/builtin/etc/php5/apache2/conf.d/mssql.ini, /usr/builtin/etc/php5/apache2/conf.d/mysql.ini, /usr/builtin/etc/php5/apache2/conf.d/mysqli.ini, /usr/builtin/etc/php5/apache2/conf.d/odbc.ini, /usr/builtin/etc/php5/apache2/conf.d/pdo.ini, /usr/builtin/etc/php5/apache2/conf.d/pdo_dblib.ini, /usr/builtin/etc/php5/apache2/conf.d/pdo_mysql.ini, /usr/builtin/etc/php5/apache2/conf.d/pdo_odbc.ini, /usr/builtin/etc/php5/apache2/conf.d/pdo_pgsql.ini, /usr/builtin/etc/php5/apache2/conf.d/pdo_sqlite.ini, /usr/builtin/etc/php5/apache2/conf.d/pgsql.ini, /usr/builtin/etc/php5/apache2/conf.d/pspell.ini, /usr/builtin/etc/php5/apache2/conf.d/recode.ini, /usr/builtin/etc/php5/apache2/conf.d/snmp.ini, /usr/builtin/etc/php5/apache2/conf.d/sqlite3.ini, /usr/builtin/etc/php5/apache2/conf.d/tidy.ini, /usr/builtin/etc/php5/apache2/conf.d/xmlrpc.ini, /usr/builtin/etc/php5/apache2/conf.d/xsl.ini
PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS
PHP Extension Build	API20090626,NTS
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	disabled
IPv6 Support	enabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, tls

Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, mcrypt.*, mdecrypt.*
----------------------------------	---

This program makes use of the Zend Scripting Language Engine:
Zend Engine v2.3.0, Copyright (c) 1998-2012 Zend Technologies



PHP Credits

Configuration

apache2handler

Apache Version	Apache/2.2.22 (Unix) DAV/2 PHP/5.3.16 mod_ssl/2.2.22 OpenSSL/1.0.0
Apache API Version	20051115
Server Administrator	you@example.com
Hostname:Port	localhost:0
User/Group	admin(999)/999
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 5
Virtual Server	Yes
Server Root	/usr/builtin
Loaded Modules	core mod_log_config mod_logio prefork http_core mod_so mod_alias mod_auth_basic mod_authn_file mod_authz_default mod_authz_groupfile mod_authz_host mod_authz_user mod_autoindex mod_cgi mod_dav mod_dav_fs mod_dav_lock mod_deflate mod_dir mod_env mod_include mod_mime mod_negotiation mod_php5 mod_reqtimeout mod_rewrite mod_setenvif mod_ssl mod_status

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_HOST	10.42.0.25
HTTP_USER_AGENT	Mozilla/5.0 (X11; Linux x86_64; rv:27.0) Gecko/20100101 Firefox/27.0
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	en-us,zh-tw;q=0.8,zh;q=0.5,en;q=0.3
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_COOKIE	f0057245b2882fff86549f71838d4dff=08cf295c4b75389d7393fd510169ba859a073913e%3A%7Bi%3A0%3Bs%3A5%3A%22super%22%3Bi%3A1%3Bs%3A5%3A%22super%22%3Bi%3A2%3Bi%3A2592000%3Bi%3A3%3Ba%3A1%3A%7Bs%3A8%3A%22userna%22%3Bs%3A5%3A%22super%22%3B%7D%7D; dcdd8fb3db11e09f0bdc1f379c026d81=9797f31284e349acddfa04ec3a8364075e6852'

	%3A%7Bi%3A0%3Bs%3A5%3A%22super%22%3Bi%3A1%3Bs%3A5%3A%22super%22%3Bi%3A2%3Bi%3A2592000%3Bi%3A3%3Ba%3A1%3A%7Bs%3A8%3A%22username%22%3Bs%3A5%3A%22super%22%3B%7D%7D; as_sid=5305C6980001E93A
HTTP_CONNECTION	keep-alive
PATH	/bin:/usr/bin:/usr/ucb:/usr/bsd:/usr/local/bin
SERVER_SIGNATURE	<address>Apache/2.2.22 (Unix) DAV/2 PHP/5.3.16 mod_ssl/2.2.22 OpenSSL/1.0.0 Server 10.42.0.25 Port 80</address>
SERVER_SOFTWARE	Apache/2.2.22 (Unix) DAV/2 PHP/5.3.16 mod_ssl/2.2.22 OpenSSL/1.0.0
SERVER_NAME	10.42.0.25
SERVER_ADDR	10.42.0.25
SERVER_PORT	80
REMOTE_ADDR	10.42.0.1
DOCUMENT_ROOT	/volume1/Web
SERVER_ADMIN	you@example.com
SCRIPT_FILENAME	/volume1/Web/phpinfo.php
REMOTE_PORT	36556
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/phpinfo.php
SCRIPT_NAME	/phpinfo.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /phpinfo.php HTTP/1.1
Host	10.42.0.25
User-Agent	Mozilla/5.0 (X11; Linux x86_64; rv:27.0) Gecko/20100101 Firefox/27.0
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language	en-us,zh-tw;q=0.8,zh;q=0.5,en;q=0.3
Accept-Encoding	gzip, deflate
Cookie	f0057245b2882fff86549f71838d4dff=08cf295c4b75389d7393fd510169ba859a073913a%3A4%3A%7Bi%3A0%3Bs%3A5%3A%22super%22%3Bi%3A1%3Bs%3A5%3A%22super%22%3Bi%3A2%3Bi%3A2592000%3Bi%3A3%3Ba%3A1%3A%7Bs%3A8%3A%22username%22%3Bs%3A5%3A%22super%22%3B%7D%7D; dcdd8fb3db11e09f0bdc1f379c026d81=9797f31284e349acddfda04ec3a8364075e68527a%3A4%3A%7Bi%3A0%3Bs%3A5%3A%22super%22%3Bi%3A1%3Bs%3A5%3A%22super%22%3Bi%3A2%3Bi%3A2592000%3Bi%3A3%3Ba%3A1%3A%7Bs%3A8%3A%22username%22%3Bs%3A5%3A%22super%22%3B%7D%7D; as_sid=5305C6980001E93A
Connection	keep-alive
HTTP Response Headers	
X-Powered-By	PHP/5.3.16
Vary	Accept-Encoding
Content-Encoding	gzip

bcmath

BCMath support	enabled
-----------------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.6, 6-Sept-2010

calendar

Calendar support	enabled
-------------------------	---------

Core

PHP Version	5.3.16
--------------------	--------

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	22527	22527

exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/builtin/lib/php5 /20090626	/usr/builtin/lib/php5 /20090626
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	Off	Off
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./asustor/cross/as-6xx /branches/B_2_0_2_20130728 /AS-6XX/staging/share/pear	./asustor/cross/as-6xx /branches/B_2_0_2_20130728 /AS-6XX/staging/share/pear
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	On	On
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	1000	1000
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report zend debug	On	On
request_order	GP	GP
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off

safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	-t -i	-t -i
serialize_precision	17	17
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

ctype

ctype functions	enabled
------------------------	---------

curl

cURL support	enabled
cURL Information	7.27.0
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	No
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	dict, file, ftp, ftps, gopher, http, https, imap, imaps, pop3, pop3s, rtsp, smtp, smtps, telnet, tftp
Host	x86_64-asustor-linux-gnu

SSL Version	OpenSSL/1.0.0
ZLib Version	1.2.7

date

date/time support	enabled
"Olson" Timezone Database Version	2012.3
Timezone Database	internal
Default timezone	Asia/Taipei

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Asia/Taipei	Asia/Taipei

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.9.0
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

enchant

enchant support	enabled
Version	1.1.0
Revision	\$Id: 0126d9ef4ed28f85fbab1ddb4e10ba927289f0cd \$

ereg

Regex Library	Bundled library enabled
----------------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id\$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5-dev

filter

Input Validation and Filtering	enabled
Revision	\$Id: 2b8c730d7dfaa8485d07cd792f0c82852ffe4113 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	2.0
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.4.11
T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	unknown
PNG Support	enabled
libPNG Version	1.5.13
WBMP Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
------------------------	---------

gmp

gmp support	enabled
GMP version	5.1.1

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	1.14

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

intl

Internationalization support	enabled
version	1.1.0
ICU version	50.1.2
ICU Data version	50.1

Directive	Local Value	Master Value
intl.default_locale	<i>no value</i>	<i>no value</i>
intl.error_level	0	0

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Compiled Version	2.9.0
libXML Loaded Version	20900
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/ application /xhtml\+xml)	^(text/ application /xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 tripledes twofish enigma serpent blowfish-compatible gost safer-sk64 blowfish threeway des xtea wake rijndael-192 loki97 rijndael-256 safer-sk128 cast-256 saferplus arcfour rijndael-128 rc2
Supported modes	cfb ecb cbc ofb nofb stream ctr ncfb

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mssql

MSSQL Support	enabled
Active Persistent Links	0
Active Links	0
Library version	FreeTDS

Directive	Local Value	Master Value
mssql.allow_persistent	On	On
mssql.batchsize	0	0
mssql.charset	<i>no value</i>	<i>no value</i>
mssql.compatability_mode	Off	Off
mssql.connect_timeout	5	5
mssql.datetimeconvert	On	On
mssql.max_links	Unlimited	Unlimited
mssql.max_persistent	Unlimited	Unlimited
mssql.max_procs	Unlimited	Unlimited
mssql.min_error_severity	10	10
mssql.min_message_severity	10	10
mssql.secure_connection	Off	Off
mssql.textlimit	Server default	Server default
mssql.textsize	Server default	Server default
mssql.timeout	60	60

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	mysqlnd 5.0.8-dev - 20102224 - \$Id: 65fe78e70ce53d27a6cd578597722950e490b0d0 \$

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/usr/builtin/var/run/mysqld/mysqld.sock	/usr/builtin/var/run/mysqld/mysqld.sock
mysql.default_user	<i>no value</i>	<i>no value</i>

mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	mysqli 5.0.8-dev - 20102224 - \$Id: 65fe78e70ce53d27a6cd578597722950e490b0d0 \$
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	/usr/builtin/var/run/mysqld/mysqld.sock	/usr/builtin/var/run/mysqld/mysqld.sock
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

mysqlnd

mysqlnd	enabled
Version	mysqlnd 5.0.8-dev - 20102224 - \$Id: 65fe78e70ce53d27a6cd578597722950e490b0d0 \$
Compression	supported
SSL	supported
Command buffer size	4096
Read buffer size	32768
Read timeout	31536000
Collecting statistics	Yes
Collecting memory statistics	No
Tracing	n/a

Client statistics	
bytes_sent	0
bytes_received	0
packets_sent	0
packets_received	0
protocol_overhead_in	0

protocol_overhead_out	0
bytes_received_ok_packet	0
bytes_received_eof_packet	0
bytes_received_rset_header_packet	0
bytes_received_rset_field_meta_packet	0
bytes_received_rset_row_packet	0
bytes_received_prepare_response_packet	0
bytes_received_change_user_packet	0
packets_sent_command	0
packets_received_ok	0
packets_received_eof	0
packets_received_rset_header	0
packets_received_rset_field_meta	0
packets_received_rset_row	0
packets_received_prepare_response	0
packets_received_change_user	0
result_set_queries	0
non_result_set_queries	0
no_index_used	0
bad_index_used	0
slow_queries	0
buffered_sets	0
unbuffered_sets	0
ps_buffered_sets	0
ps_unbuffered_sets	0
flushed_normal_sets	0
flushed_ps_sets	0
ps_prepared_never_executed	0
ps_prepared_once_executed	0
rows_fetched_from_server_normal	0
rows_fetched_from_server_ps	0
rows_buffered_from_client_normal	0
rows_buffered_from_client_ps	0
rows_fetched_from_client_normal_buffered	0
rows_fetched_from_client_normal_unbuffered	0
rows_fetched_from_client_ps_buffered	0
rows_fetched_from_client_ps_unbuffered	0
rows_fetched_from_client_ps_cursor	0
rows_affected_normal	0
rows_affected_ps	0
rows_skipped_normal	0
rows_skipped_ps	0
copy_on_write_saved	0
copy_on_write_performed	0
command_buffer_too_small	0
connect_success	0
connect_failure	0
connection_reused	0

reconnect	0
pconnect_success	0
active_connections	0
active_persistent_connections	0
explicit_close	0
implicit_close	0
disconnect_close	0
in_middle_of_command_close	0
explicit_free_result	0
implicit_free_result	0
explicit_stmt_close	0
implicit_stmt_close	0
mem_emalloc_count	0
mem_emalloc_amount	0
mem_ecalloc_count	0
mem_ecalloc_amount	0
mem_erealloc_count	0
mem_erealloc_amount	0
mem_efree_count	0
mem_efree_amount	0
mem_malloc_count	0
mem_malloc_amount	0
mem_calloc_count	0
mem_calloc_amount	0
mem_realloc_count	0
mem_realloc_amount	0
mem_free_count	0
mem_free_amount	0
mem_strndup_count	0
mem_strndup_count	0
mem_estndup_count	0
mem_strdup_count	0
proto_text_fetched_null	0
proto_text_fetched_bit	0
proto_text_fetched_tinyint	0
proto_text_fetched_short	0
proto_text_fetched_int24	0
proto_text_fetched_int	0
proto_text_fetched_bigint	0
proto_text_fetched_decimal	0
proto_text_fetched_float	0
proto_text_fetched_double	0
proto_text_fetched_date	0
proto_text_fetched_year	0
proto_text_fetched_time	0
proto_text_fetched_datetime	0
proto_text_fetched_timestamp	0
proto_text_fetched_string	0

proto_text_fetched_blob	0
proto_text_fetched_enum	0
proto_text_fetched_set	0
proto_text_fetched_geometry	0
proto_text_fetched_other	0
proto_binary_fetched_null	0
proto_binary_fetched_bit	0
proto_binary_fetched_tinyint	0
proto_binary_fetched_short	0
proto_binary_fetched_int24	0
proto_binary_fetched_int	0
proto_binary_fetched_bigint	0
proto_binary_fetched_decimal	0
proto_binary_fetched_float	0
proto_binary_fetched_double	0
proto_binary_fetched_date	0
proto_binary_fetched_year	0
proto_binary_fetched_time	0
proto_binary_fetched_datetime	0
proto_binary_fetched_timestamp	0
proto_binary_fetched_string	0
proto_binary_fetched_blob	0
proto_binary_fetched_enum	0
proto_binary_fetched_set	0
proto_binary_fetched_geometry	0
proto_binary_fetched_other	0
init_command_executed_count	0
init_command_failed_count	0
com_quit	0
com_init_db	0
com_query	0
com_field_list	0
com_create_db	0
com_drop_db	0
com_refresh	0
com_shutdown	0
com_statistics	0
com_process_info	0
com_connect	0
com_process_kill	0
com_debug	0
com_ping	0
com_time	0
com_delayed_insert	0
com_change_user	0
com_binlog_dump	0
com_table_dump	0
com_connect_out	0

com_register_slave	0
com_stmt_prepare	0
com_stmt_execute	0
com_stmt_send_long_data	0
com_stmt_close	0
com_stmt_reset	0
com_stmt_set_option	0
com_stmt_fetch	0
com_daemon	0
bytes_received_real_data_normal	0
bytes_received_real_data_ps	0

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	unixODBC
ODBC_INCLUDE	-l/asustor/cross/as-6xx/branches/B_2_0_2_20130728/AS-6XX/staging/usr/include
ODBC_LFLAGS	-L/asustor/cross/as-6xx/branches/B_2_0_2_20130728/AS-6XX/staging/usr/lib
ODBC_LIBS	-lodbc

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_cursortype	Static cursor	Static cursor
odbc.default_db	<i>no value</i>	<i>no value</i>
odbc.default_pw	<i>no value</i>	<i>no value</i>
odbc.default_user	<i>no value</i>	<i>no value</i>
odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.0 29 Mar 2010
OpenSSL Header Version	OpenSSL 1.0.0 29 Mar 2010

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.12 2011-01-15

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	dblib, mysql, odbc, pgsql, sqlite

pdo_dblib

PDO Driver for FreeTDS/Sybase DB-lib	enabled
Flavour	freetds

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	mysqlnd 5.0.8-dev - 20102224 - \$Id: 65fe78e70ce53d27a6cd578597722950e490b0d0 \$

Directive	Local Value	Master Value
pdo_mysql.default_socket	/usr/builtin/var/run/mysql /mysqld.sock	/usr/builtin/var/run/mysql /mysqld.sock

PDO_ODBC

PDO Driver for ODBC (unixODBC)	enabled
ODBC Connection Pooling	Enabled, strict matching

pdo_pgsql

PDO Driver for PostgreSQL	enabled
PostgreSQL(libpq) Version	9.2.2
Module version	1.0.2
Revision	\$Id\$

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.14.1

pgsql

PostgreSQL Support	enabled
---------------------------	----------------

PostgreSQL(libpq) Version	9.2.2
Multibyte character support	enabled
SSL support	enabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

posix

Revision	\$Id: c00b7465003bf16b27764ccaea3c159ca2e4419d \$
-----------------	---

pspell

PSpell Support	enabled
-----------------------	---------

recode

Recode Support	enabled
Revision	\$Id: a1a74deff322390c36b36bdea5e043f3a914b99c \$

Reflection

Reflection	enabled
Version	\$Id: 23c90449811cd1a9c860b115456b64946c2823a9 \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off

session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	0	0
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

shmop

shmop support	enabled
----------------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Id: a379111021e24ef020a2eefd8ca830cb1ab5b280 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
------------------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7-dev
SQLite Library	3.7.14.1

Directive	Local Value	Master Value
sqlite3.extension_dir	no value	no value

standard

Dynamic Library Support	enabled
Path to sendmail	-t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	no value	no value
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	no value	no value
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=
user_agent	no value	no value

sysvmsg

sysvmsg support	enabled
Revision	\$Id: bf99fb053e35d98fb01c414dda6d4813a55e6647 \$

tidy

Tidy support	enabled
libTidy Release	25 March 2009
Extension Version	2.0 (\$Id\$)

Directive	Local Value	Master Value
tidy.clean_output	<i>no value</i>	<i>no value</i>
tidy.default_config	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
--------------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.9.0

xmlreader

XMLReader	enabled
------------------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.54
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
------------------	---------

xsl

XSL	enabled
libxslt Version	1.1.28
libxslt compiled against libxml Version	2.9.0
EXSLT	enabled
libexslt Version	1.1.28

zip

Zip	enabled
Extension Version	\$Id\$
Zip version	1.11.0
Libzip version	0.10.1

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.7
Linked Version	1.2.7

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
sysvsem
sysvshm

Environment

Variable	Value
GATEWAY_INTERFACE	CGI/1.1
CONTENT_TYPE	application/x-www-form-urlencoded; charset=UTF-8
HTTP_X_REQUESTED_WITH	XMLHttpRequest
REMOTE_ADDR	10.42.0.1
OLDPWD	/volume0/usr/builtin/webman/portal/apis/appCentral
QUERY_STRING	sid=5305C6980001E93A&act=install&_dc=1392887464461
REMOTE_PORT	41282
DOCUMENT_ROOT	/usr/webman/
HTTP_USER_AGENT	Mozilla/5.0 (X11; Linux x86_64; rv:27.0) Gecko/20100101 Firefox/27.0
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
CONTENT_LENGTH	5

SCRIPT_FILENAME	/usr/webman/portal/apis/appCentral/appcentral.cgi
HTTP_CACHE_CONTROL	no-cache
HTTP_HOST	10.42.0.25:8000
REQUEST_URI	/portal/apis/appCentral/appcentral.cgi?sid=5305C6980001E93A&act=install&_dc=1392887464461
SERVER_SOFTWARE	lighttpd/1.4.29-devel-80
HTTP_CONNECTION	keep-alive
HTTP_PRAGMA	no-cache
HTTP_COOKIE	f0057245b2882fff86549f71838d4dff=08cf295c4b75389d7393fd510169ba859a073913a:4:{i:0;s:5:"super";i:1;s:5:"super";i:2;i:2592000;i:3;a:1:{s:8:"use%3A%7Bi%3A0%3Bs%3A5%3A%22super%22%3Bi%3A1%3Bs%3A5%3A%22super%22%3Bi%3A2%3Bi%3A2592000%3Bi%3A3%3Ba%3A1%3A%7Bs%3A8%3A%22usern%22%3Bs%3A5%3A%22super%22%3B%7D%7D;dcdd8fb3db11e09f0bdc1f379c026d81=9797f31284e349acddfda04ec3a8364075e68527a:4:{i:0;s:5:"super";i:1;s:5:"super";i:2;i:2592000;i:3;a:1:{s:8:"use%3A%7Bi%3A0%3Bs%3A5%3A%22super%22%3Bi%3A1%3Bs%3A5%3A%22super%22%3Bi%3A2%3Bi%3A2592000%3Bi%3A3%3Ba%3A1%3A%7Bs%3A8%3A%22usern%22%3Bs%3A5%3A%22super%22%3B%7D%7D; as_sid=5305C6980001E93A
HTTP_ACCEPT_LANGUAGE	en-us,zh-tw;q=0.8,zh;q=0.5,en;q=0.3
HTTP_REFERER	http://10.42.0.25:8000/portal/
LANG	C
SERVER_PROTOCOL	HTTP/1.1
HTTP_ACCEPT_ENCODING	gzip, deflate
REDIRECT_STATUS	200
REQUEST_METHOD	POST
SERVER_ADDR	10.42.0.25
PWD	/usr/builtin/etc/apache2/mods-enabled
SERVER_PORT	8000
SCRIPT_NAME	/portal/apis/appCentral/appcentral.cgi
SERVER_NAME	10.42.0.25
HTTP_CONTENT_LENGTH	5

PHP Variables

Variable	Value
_COOKIE["f0057245b2882fff86549f71838d4dff"]	08cf295c4b75389d7393fd510169ba859a073913a:4:{i:0;s:5:"super";i:1;s:5:"super";i:2;i:2592000;i:3;a:1:{s:8:"use
_COOKIE["dcdd8fb3db11e09f0bdc1f379c026d81"]	9797f31284e349acddfda04ec3a8364075e68527a:4:{i:0;s:5:"super";i:1;s:5:"super";i:2;i:2592000;i:3;a:1:{s:8:"use
_COOKIE["as_sid"]	5305C6980001E93A
_SERVER["HTTP_HOST"]	10.42.0.25
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (X11; Linux x86_64; rv:27.0) Gecko/20100101 Fire
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-us,zh-tw;q=0.8,zh;q=0.5,en;q=0.3
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_COOKIE"]	f0057245b2882fff86549f71838d4dff=08cf295c4b75389d7393fd510169ba859a073913a:4:{i:0;s:5:"super";i:1;s:5:"super";i:2;i:2592000;i:3;a:1:{s:8:"use%3A%7Bi%3A0%3Bs%3A5%3A%22super%22%3Bi%3A1%3Bs%3A5%3A%22super%22%3Bi%3A2%3Bi%3A2592000%3Bi%3A3%3Ba%3A1%3A%7Bs%3A8%3A%22usern%22%3Bs%3A5%3A%22super%22%3B%7D%7D;dcdd8fb3db11e09f0bdc1f379c026d81=9797f31284e349acddfda04ec3a8364075e68527a:4:{i:0;s:5:"super";i:1;s:5:"super";i:2;i:2592000;i:3;a:1:{s:8:"use%3A%7Bi%3A0%3Bs%3A5%3A%22super%22%3Bi%3A1%3Bs%3A5%3A%22super%22%3Bi%3A2%3Bi%3A2592000%3Bi%3A3%3Ba%3A1%3A%7Bs%3A8%3A%22usern%22%3Bs%3A5%3A%22super%22%3B%7D%7D; as_sid=5305C6980001E93A
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["PATH"]	/bin:/usr/bin:/usr/ucb:/usr/bsd:/usr/local/bin

<code>_SERVER["SERVER_SIGNATURE"]</code>	<address>Apache/2.2.22 (Unix) DAV/2 PHP/5.3.16 mod_ssl/2.2.22 OpenSSL/1.0.1e-fips Port 80</address>
<code>_SERVER["SERVER_SOFTWARE"]</code>	Apache/2.2.22 (Unix) DAV/2 PHP/5.3.16 mod_ssl/2.2.22 OpenSSL/1.0.1e-fips
<code>_SERVER["SERVER_NAME"]</code>	10.42.0.25
<code>_SERVER["SERVER_ADDR"]</code>	10.42.0.25
<code>_SERVER["SERVER_PORT"]</code>	80
<code>_SERVER["REMOTE_ADDR"]</code>	10.42.0.1
<code>_SERVER["DOCUMENT_ROOT"]</code>	/volume1/Web
<code>_SERVER["SERVER_ADMIN"]</code>	you@example.com
<code>_SERVER["SCRIPT_FILENAME"]</code>	/volume1/Web/phpinfo.php
<code>_SERVER["REMOTE_PORT"]</code>	36556
<code>_SERVER["GATEWAY_INTERFACE"]</code>	CGI/1.1
<code>_SERVER["SERVER_PROTOCOL"]</code>	HTTP/1.1
<code>_SERVER["REQUEST_METHOD"]</code>	GET
<code>_SERVER["QUERY_STRING"]</code>	<i>no value</i>
<code>_SERVER["REQUEST_URI"]</code>	/phpinfo.php
<code>_SERVER["SCRIPT_NAME"]</code>	/phpinfo.php
<code>_SERVER["PHP_SELF"]</code>	/phpinfo.php
<code>_SERVER["REQUEST_TIME"]</code>	1392887922

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.