

<b>PHP Version 5.3.8</b>
--------------------------

<b>System</b>	Linux N2310 2.6.32.2-4.os6.ppc #1 Wed Oct 2 16:31:07 CST 2013 ppc
<b>Build Date</b>	Aug 20 2013 17:50:30
<b>Configure Command</b>	'./configure' '--build=powerpc-unknown-linux-gnu' '--host=powerpc-unknown-linux-gnu' '--program-prefix=' '--disable-dependency-tracking' '--prefix=/usr' '--exec-prefix=/usr' '--bindir=/usr/bin' '--sbindir=/usr/sbin' '--sysconfdir=/etc' '--datadir=/usr/share' '--includedir=/usr/include' '--libdir=/usr/lib' '--libexecdir=/usr/libexec' '--localstatedir=/var' '--sharedstatedir=/var/lib' '--mandir=/usr/share/man' '--infodir=/usr/share/info' '--cache-file=./config.cache' '--with-libdir=lib' '--with-config-file-path=/etc' '--with-config-file-scan-dir=/etc/php.d' '--disable-debug' '--with-pic' '--disable-rpath' '--without-pear' '--with-bz2' '--with-exec-dir=/usr/bin' '--with-freetype-dir=/usr' '--with-png-dir=/usr' '--with-xpm-dir=/usr' '--enable-gd-native-ttf' '--with-t1lib=/usr' '--without-gdgm' '--with-gettext' '--with-gmp' '--with-iconv' '--with-jpeg-dir=/usr' '--with-openssl' '--with-pcre-regex=/usr' '--with-zlib' '--with-layout=GNU' '--enable-exif' '--enable-ftp' '--enable-magic-quotes' '--enable-sockets' '--with-kerberos' '--enable-ucd-snmp-hack' '--enable-shmop' '--enable-calendar' '--without-sqlite' '--with-libxml-dir=/usr' '--enable-xml' '--with-system-tzdata' '--with-mhash' '--with-apxs2=/usr/sbin/apxs' '--libdir=/usr/lib/php' '--enable-pdo=shared' '--with-mysql=shared,/usr' '--with-mysqli=shared,/usr/lib/mysql/mysql_config' '--with-pdo-mysql=shared,/usr/lib/mysql/mysql_config' '--with-pdo-sqlite=shared,/usr' '--without-gd' '--disable-dom' '--disable-dba' '--without-unixODBC' '--disable-xmlreader' '--disable-xmlwriter' '--without-sqlite3' '--disable-phar' '--disable-fileinfo' '--disable-json' '--without-openssl' '--disable-wddx' '--without-curl' '--disable-posix' '--disable-sysvmsg' '--disable-sysvshm' '--disable-sysvsem'
<b>Server API</b>	Apache 2.0 Handler
<b>Virtual Directory Support</b>	disabled
<b>Configuration File (php.ini) Path</b>	/etc
<b>Loaded Configuration File</b>	/etc/php.ini
<b>Scan this dir for additional .ini files</b>	/etc/php.d
<b>Additional .ini files parsed</b>	/etc/php.d/curl.ini, /etc/php.d/fileinfo.ini, /etc/php.d/json.ini, /etc/php.d/mbstring.ini, /etc/php.d/mysql.ini, /etc/php.d/mysqli.ini, /etc/php.d/pdo.ini, /etc/php.d/pdo_mysql.ini, /etc/php.d/pdo_sqlite.ini, /etc/php.d/phar.ini, /etc/php.d/posix.ini, /etc/php.d/sqlite3.ini, /etc/php.d/sysvmsg.ini, /etc/php.d/sysvsem.ini, /etc/php.d/sysvshm.ini, /etc/php.d/zip.ini
<b>PHP API</b>	20090626
<b>PHP Extension</b>	20090626
<b>Zend Extension</b>	220090626
<b>Zend Extension Build</b>	API220090626,NTS
<b>PHP Extension Build</b>	API20090626,NTS
<b>Debug Build</b>	no
<b>Thread Safety</b>	disabled
<b>Zend Memory Manager</b>	enabled
<b>Zend Multibyte Support</b>	disabled
<b>IPv6 Support</b>	enabled
<b>Registered PHP Streams</b>	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar
<b>Registered Stream Socket Transports</b>	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
<b>Registered Stream Filters</b>	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

This program makes use of the Zend Scripting Language Engine: Zend Engine v2.3.0, Copyright (c) 1998-2011 Zend Technologies
--

## Configuration

### apache2handler

<b>Apache Version</b>	Apache/2.2.21 (Fedora)
<b>Apache API Version</b>	20051115
<b>Server Administrator</b>	root@localhost
<b>Hostname:Port</b>	nas.thecus.com:0
<b>User/Group</b>	root(0)/0
<b>Max Requests</b>	Per Child: 4000 - Keep Alive: off - Max Per Connection: 100
<b>Timeouts</b>	Connection: 60 - Keep-Alive: 5
<b>Virtual Server</b>	No
<b>Server Root</b>	/etc/httpd
<b>Loaded Modules</b>	core prefork http_core mod_so mod_auth_basic mod_authn_file mod_authn_default mod_authz_host mod_authz_user mod_authz_groupfile mod_authz_default mod_include mod_log_config mod_env mod_mime_magic mod_expires mod_headers mod_setenvif mod_mime mod_vhost_alias mod_negotiation mod_dir mod_actions mod_alias mod_rewrite mod_cgi mod_version mod_php5 mod_ssl

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

## Apache Environment

Variable	Value
HTTP_HOST	192.168.0.119
HTTP_USER_AGENT	Mozilla/5.0 (X11; Linux x86_64; rv:27.0) Gecko/20100101 Firefox/27.0
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	en-us,zh-tw;q=0.8,zh;q=0.5,en;q=0.3
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_COOKIE	MYSESSION=6b250f57c1897fe88660bca6039e0e59
HTTP_CONNECTION	keep-alive
PATH	/sbin:/usr/sbin:/bin:/usr/bin
SERVER_SIGNATURE	<address>Apache/2.2.21 (Fedora) Server at 192.168.0.119 Port 80</address>
SERVER_SOFTWARE	Apache/2.2.21 (Fedora)
SERVER_NAME	192.168.0.119
SERVER_ADDR	192.168.0.119
SERVER_PORT	80
REMOTE_ADDR	192.168.0.142
DOCUMENT_ROOT	/var/www/html/htdocs
SERVER_ADMIN	root@localhost
SCRIPT_FILENAME	/var/www/html/htdocs/phpinfo.php
REMOTE_PORT	56367
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/phpinfo.php
SCRIPT_NAME	/phpinfo.php

## HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /phpinfo.php HTTP/1.1

<b>Host</b>	192.168.0.119
<b>User-Agent</b>	Mozilla/5.0 (X11; Linux x86_64; rv:27.0) Gecko/20100101 Firefox/27.0
<b>Accept</b>	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
<b>Accept-Language</b>	en-us,zh-tw;q=0.8,zh;q=0.5,en;q=0.3
<b>Accept-Encoding</b>	gzip, deflate
<b>Cookie</b>	MYSESSID=6b250f57c1897fe88660bca6039e0e59
<b>Connection</b>	keep-alive
<b>HTTP Response Headers</b>	
<b>Connection</b>	close
<b>Transfer-Encoding</b>	chunked
<b>Content-Type</b>	text/html; charset=UTF-8

## bz2

<b>BZip2 Support</b>	Enabled
<b>Stream Wrapper support</b>	compress.bzip2://
<b>Stream Filter support</b>	bzip2.decompress, bzip2.compress
<b>BZip2 Version</b>	1.0.6, 6-Sept-2010

## calendar

<b>Calendar support</b>	enabled
-------------------------	---------

## Core

<b>PHP Version</b>	5.3.8
--------------------	-------

Directive	Local Value	Master Value
<b>allow_call_time_pass_reference</b>	On	On
<b>allow_url_fopen</b>	Off	Off
<b>allow_url_include</b>	Off	Off
<b>always_populate_raw_post_data</b>	Off	Off
<b>arg_separator.input</b>	&	&
<b>arg_separator.output</b>	&	&
<b>asp_tags</b>	Off	Off
<b>auto_append_file</b>	<i>no value</i>	<i>no value</i>
<b>auto_globals_jit</b>	On	On
<b>auto_prepend_file</b>	<i>no value</i>	<i>no value</i>
<b>browscap</b>	<i>no value</i>	<i>no value</i>
<b>default_charset</b>	<i>no value</i>	<i>no value</i>
<b>default_mimetype</b>	text/html	text/html
<b>define_syslog_variables</b>	Off	Off
<b>disable_classes</b>	<i>no value</i>	<i>no value</i>
<b>disable_functions</b>	<i>no value</i>	<i>no value</i>
<b>display_errors</b>	Off	Off
<b>display_startup_errors</b>	Off	Off
<b>doc_root</b>	<i>no value</i>	<i>no value</i>
<b>docref_ext</b>	<i>no value</i>	<i>no value</i>
<b>docref_root</b>	<i>no value</i>	<i>no value</i>
<b>enable_dl</b>	On	On
<b>error_append_string</b>	<i>no value</i>	<i>no value</i>
<b>error_log</b>	<i>no value</i>	<i>no value</i>
<b>error_prepend_string</b>	<i>no value</i>	<i>no value</i>
<b>error_reporting</b>	-30720	-30720
<b>exit_on_timeout</b>	Off	Off
<b>expose_php</b>	Off	Off
<b>extension_dir</b>	/usr/lib/php/modules	/usr/lib/php/modules
<b>file_uploads</b>	On	On
<b>highlight.bg</b>	#FFFFFF	#FFFFFF
<b>highlight.comment</b>	#FF8000	#FF8000

<b>highlight.default</b>	#0000BB	#0000BB
<b>highlight.html</b>	#000000	#000000
<b>highlight.keyword</b>	#007700	#007700
<b>highlight.string</b>	#DD0000	#DD0000
<b>html_errors</b>	On	On
<b>ignore_repeated_errors</b>	Off	Off
<b>ignore_repeated_source</b>	Off	Off
<b>ignore_user_abort</b>	Off	Off
<b>implicit_flush</b>	Off	Off
<b>include_path</b>	./usr/share/pear: /usr/share/php	./usr/share/pear: /usr/share/php
<b>log_errors</b>	Off	Off
<b>log_errors_max_len</b>	1024	1024
<b>magic_quotes_gpc</b>	On	On
<b>magic_quotes_runtime</b>	Off	Off
<b>magic_quotes_sybase</b>	Off	Off
<b>mail.add_x_header</b>	Off	Off
<b>mail.force_extra_parameters</b>	<i>no value</i>	<i>no value</i>
<b>mail.log</b>	<i>no value</i>	<i>no value</i>
<b>max_execution_time</b>	600	600
<b>max_file_uploads</b>	20	20
<b>max_input_nesting_level</b>	64	64
<b>max_input_time</b>	600	600
<b>memory_limit</b>	8M	8M
<b>open_basedir</b>	<i>no value</i>	<i>no value</i>
<b>output_buffering</b>	<i>no value</i>	<i>no value</i>
<b>output_handler</b>	<i>no value</i>	<i>no value</i>
<b>post_max_size</b>	2000M	2000M
<b>precision</b>	12	12
<b>realpath_cache_size</b>	16K	16K
<b>realpath_cache_ttl</b>	120	120
<b>register_argc_argv</b>	Off	Off
<b>register_globals</b>	Off	Off
<b>register_long_arrays</b>	Off	Off
<b>report_memleaks</b>	On	On
<b>report zend debug</b>	On	On
<b>request_order</b>	<i>no value</i>	<i>no value</i>
<b>safe_mode</b>	Off	Off
<b>safe_mode_exec_dir</b>	<i>no value</i>	<i>no value</i>
<b>safe_mode_gid</b>	Off	Off
<b>safe_mode_include_dir</b>	<i>no value</i>	<i>no value</i>
<b>sendmail_from</b>	<i>no value</i>	<i>no value</i>
<b>sendmail_path</b>	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
<b>serialize_precision</b>	100	100
<b>short_open_tag</b>	On	On
<b>SMTP</b>	localhost	localhost
<b>smtp_port</b>	25	25
<b>sql.safe_mode</b>	Off	Off
<b>track_errors</b>	Off	Off
<b>unserialize_callback_func</b>	<i>no value</i>	<i>no value</i>
<b>upload_max_filesize</b>	0	0
<b>upload_tmp_dir</b>	/raid/tmp	/raid/tmp
<b>user_dir</b>	<i>no value</i>	<i>no value</i>
<b>user_ini.cache_ttl</b>	300	300
<b>user_ini.filename</b>	.user.ini	.user.ini
<b>variables_order</b>	EGPCS	EGPCS
<b>xmlrpc_error_number</b>	0	0
<b>xmlrpc_errors</b>	Off	Off
<b>y2k_compliance</b>	On	On
<b>zend.enable_gc</b>	On	On

**ctype**

<b>ctype functions</b>	enabled
------------------------	---------

**curl**

<b>cURL support</b>	enabled
<b>cURL Information</b>	7.21.7
<b>Age</b>	3
<b>Features</b>	
<b>AsynchDNS</b>	Yes
<b>Debug</b>	No
<b>GSS-Negotiate</b>	Yes
<b>IDN</b>	Yes
<b>IPv6</b>	Yes
<b>Largefile</b>	Yes
<b>NTLM</b>	Yes
<b>SPNEGO</b>	No
<b>SSL</b>	Yes
<b>SSPI</b>	No
<b>krb4</b>	No
<b>libz</b>	Yes
<b>CharConv</b>	No
<b>Protocols</b>	dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, scp, sftp, smtp, smtps, telnet, tftp
<b>Host</b>	powerpc-unknown-linux-gnu
<b>SSL Version</b>	NSS/3.12.10.0
<b>ZLib Version</b>	1.2.5
<b>libSSH Version</b>	libssh2/1.2.7

**date**

<b>date/time support</b>	enabled
<b>"Olson" Timezone Database Version</b>	0.system
<b>Timezone Database</b>	internal
<b>Default timezone</b>	Asia/Chongqing

Directive	Local Value	Master Value
<b>date.default_latitude</b>	31.7667	31.7667
<b>date.default_longitude</b>	35.2333	35.2333
<b>date.sunrise_zenith</b>	90.583333	90.583333
<b>date.sunset_zenith</b>	90.583333	90.583333
<b>date.timezone</b>	<i>no value</i>	<i>no value</i>

**ereg**

<b>Regex Library</b>	Bundled library enabled
----------------------	-------------------------

**exif**

<b>EXIF Support</b>	enabled
<b>EXIF Version</b>	1.4 \$Id: exif.c 314376 2011-08-06 14:47:44Z felipe \$
<b>Supported EXIF Version</b>	0220
<b>Supported filetypes</b>	JPEG,TIFF

Directive	Local Value	Master Value
<b>exif.decode_jis_intel</b>	JIS	JIS
<b>exif.decode_jis_motorola</b>	JIS	JIS
<b>exif.decode_unicode_intel</b>	UCS-2LE	UCS-2LE

<b>exif.decode_unicode_motorola</b>	UCS-2BE	UCS-2BE
<b>exif.encode_jis</b>	<i>no value</i>	<i>no value</i>
<b>exif.encode_unicode</b>	ISO-8859-15	ISO-8859-15

## fileinfo

<b>fileinfo support</b>	<b>enabled</b>
<b>version</b>	1.0.5-dev

## filter

<b>Input Validation and Filtering</b>	enabled
<b>Revision</b>	\$Revision: 313665 \$

Directive	Local Value	Master Value
<b>filter.default</b>	unsafe_raw	unsafe_raw
<b>filter.default_flags</b>	<i>no value</i>	<i>no value</i>

## ftp

<b>FTP support</b>	enabled
--------------------	---------

## gettext

<b>GetText Support</b>	enabled
------------------------	---------

## gmp

<b>gmp support</b>	enabled
<b>GMP version</b>	4.3.2

## hash

<b>hash support</b>	enabled
<b>Hashing Engines</b>	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru snefru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

## iconv

<b>iconv support</b>	enabled
<b>iconv implementation</b>	glibc
<b>iconv library version</b>	2.14.90

Directive	Local Value	Master Value
<b>iconv.input_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.internal_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.output_encoding</b>	ISO-8859-1	ISO-8859-1

## json

<b>json support</b>	enabled
<b>json version</b>	1.2.1

**libxml**

<b>libXML support</b>	active
<b>libXML Compiled Version</b>	2.7.8
<b>libXML Loaded Version</b>	20708
<b>libXML streams</b>	enabled

**mbstring**

<b>Multibyte Support</b>	enabled
<b>Multibyte string engine</b>	libmbfl
<b>HTTP input encoding translation</b>	disabled

**mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.**

<b>Multibyte (japanese) regex support</b>	enabled
<b>Multibyte regex (oniguruma) backtrack check</b>	On
<b>Multibyte regex (oniguruma) version</b>	4.7.1

Directive	Local Value	Master Value
<b>mbstring.detect_order</b>	<i>no value</i>	<i>no value</i>
<b>mbstring.encoding_translation</b>	Off	Off
<b>mbstring.func_overload</b>	0	0
<b>mbstring.http_input</b>	UTF-8	UTF-8
<b>mbstring.http_output</b>	pass	pass
<b>mbstring.http_output_conv_mimetypes</b>	^(text/application/xhtml+xml)	^(text/application/xhtml+xml)
<b>mbstring.internal_encoding</b>	<i>no value</i>	<i>no value</i>
<b>mbstring.language</b>	neutral	neutral
<b>mbstring.strict_detection</b>	Off	Off
<b>mbstring.substitute_character</b>	<i>no value</i>	<i>no value</i>

**mhash**

<b>MHASH support</b>	Enabled
<b>MHASH API Version</b>	Emulated Support

**mysql**

MySQL Support	enabled
<b>Active Persistent Links</b>	0
<b>Active Links</b>	0
<b>Client API version</b>	5.5.14
<b>MYSQL_MODULE_TYPE</b>	external
<b>MYSQL_SOCKET</b>	/var/lib/mysql/mysql.sock
<b>MYSQL_INCLUDE</b>	-I/usr/include/mysql
<b>MYSQL_LIBS</b>	-L/usr/lib/mysql -lmysqlclient

Directive	Local Value	Master Value
<b>mysql.allow_local_infile</b>	On	On
<b>mysql.allow_persistent</b>	On	On
<b>mysql.connect_timeout</b>	60	60
<b>mysql.default_host</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_password</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_port</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_socket</b>	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock
<b>mysql.default_user</b>	<i>no value</i>	<i>no value</i>
<b>mysql.max_links</b>	Unlimited	Unlimited
<b>mysql.max_persistent</b>	Unlimited	Unlimited
<b>mysql.trace_mode</b>	Off	Off

**mysqli**

Mysqli Support	enabled
Client API library version	5.5.14
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.5.25a
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

**openssl**

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.0e-fips 6 Sep 2011
OpenSSL Header Version	OpenSSL 1.0.0j-fips 10 May 2012

**pcre**

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.12 2011-01-15

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

**PDO**

PDO support	enabled
PDO drivers	mysql, sqlite

**pdo\_mysql**

PDO Driver for MySQL	enabled
Client API version	5.5.14

**pdo\_sqlite**

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.7.1

**Phar**

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1

<b>SVN revision</b>	\$Revision: 314419 \$
<b>Phar-based phar archives</b>	enabled
<b>Tar-based phar archives</b>	enabled
<b>ZIP-based phar archives</b>	enabled
<b>gzip compression</b>	enabled
<b>bzip2 compression</b>	enabled
<b>Native OpenSSL support</b>	enabled

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
Phar fully realized by Gregory Beaver and Marcus Boerger.  
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
<b>phar.cache_list</b>	<i>no value</i>	<i>no value</i>
<b>phar.readonly</b>	On	On
<b>phar.require_hash</b>	On	On

## posix

<b>Revision</b>	\$Revision: 313665 \$
-----------------	-----------------------

## Reflection

<b>Reflection</b>	<b>enabled</b>
<b>Version</b>	\$Revision: 313665 \$

## session

<b>Session Support</b>	enabled
<b>Registered save handlers</b>	files user
<b>Registered serializer handlers</b>	php php_binary

Directive	Local Value	Master Value
<b>session.auto_start</b>	Off	Off
<b>session.bug_compat_42</b>	On	On
<b>session.bug_compat_warn</b>	On	On
<b>session.cache_expire</b>	180	180
<b>session.cache_limiter</b>	nocache	nocache
<b>session.cookie_domain</b>	<i>no value</i>	<i>no value</i>
<b>session.cookie_httponly</b>	Off	Off
<b>session.cookie_lifetime</b>	0	0
<b>session.cookie_path</b>	/	/
<b>session.cookie_secure</b>	Off	Off
<b>session.entropy_file</b>	<i>no value</i>	<i>no value</i>
<b>session.entropy_length</b>	0	0
<b>session.gc_divisor</b>	100	100
<b>session.gc_maxlifetime</b>	1440	1440
<b>session.gc_probability</b>	1	1
<b>session.hash_bits_per_character</b>	4	4
<b>session.hash_function</b>	0	0
<b>session.name</b>	MYSESSID	MYSESSID
<b>session.referer_check</b>	<i>no value</i>	<i>no value</i>
<b>session.save_handler</b>	files	files
<b>session.save_path</b>	<i>no value</i>	<i>no value</i>
<b>session.serialize_handler</b>	php	php
<b>session.use_cookies</b>	On	On
<b>session.use_only_cookies</b>	On	On
<b>session.use_trans_sid</b>	0	0

## shmop

<b>shmop support</b>	enabled
----------------------	---------

## SimpleXML

<b>Simplexml support</b>	<b>enabled</b>
<b>Revision</b>	\$Revision: 314376 \$
<b>Schema support</b>	enabled

## sockets

<b>Sockets Support</b>	enabled
------------------------	---------

## SPL

<b>SPL support</b>	<b>enabled</b>
<b>Interfaces</b>	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
<b>Classes</b>	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

## sqlite3

<b>SQLite3 support</b>	<b>enabled</b>
<b>SQLite3 module version</b>	0.7-dev
<b>SQLite Library</b>	3.7.7.1

Directive	Local Value	Master Value
<b>sqlite3.extension_dir</b>	<i>no value</i>	<i>no value</i>

## standard

<b>Dynamic Library Support</b>	enabled
<b>Path to sendmail</b>	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
<b>assert.active</b>	1	1
<b>assert.bail</b>	0	0
<b>assert.callback</b>	<i>no value</i>	<i>no value</i>
<b>assert.quiet_eval</b>	0	0
<b>assert.warning</b>	1	1
<b>auto_detect_line_endings</b>	0	0
<b>default_socket_timeout</b>	60	60
<b>from</b>	<i>no value</i>	<i>no value</i>
<b>safe_mode_allowed_env_vars</b>	PHP_	PHP_
<b>safe_mode_protected_env_vars</b>	LD_LIBRARY_PATH	LD_LIBRARY_PATH
<b>url_rewriter.tags</b>	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,form=,fieldset=
<b>user_agent</b>	<i>no value</i>	<i>no value</i>

## sysvmsg

<b>sysvmsg support</b>	enabled
------------------------	---------

Revision	\$Revision: 313665 \$
----------	-----------------------

## tokenizer

Tokenizer Support	enabled
-------------------	---------

## xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.8

## zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.5
Linked Version	1.2.5

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

## Additional Modules

Module Name
sysvsem
sysvshm

## Environment

Variable	Value
TERM	vt102
SHELL	/bin/sh
USER	root
PATH	/sbin:/usr/sbin:/bin:/usr/bin
PWD	/
LANG	en_US.UTF-8
SHLVL	3
HOME	/
_	/usr/sbin/httpd

## PHP Variables

Variable	Value
_REQUEST["MYSESSID"]	6b250f57c1897fe88660bca6039e0e59
_COOKIE["MYSESSID"]	6b250f57c1897fe88660bca6039e0e59
_SERVER["HTTP_HOST"]	192.168.0.119
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (X11; Linux x86_64; rv:27.0) Gecko/20100101 Firefox/27.0
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9;*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-us,zh-tw;q=0.8,zh;q=0.5,en;q=0.3
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_COOKIE"]	MYSESSID=6b250f57c1897fe88660bca6039e0e59
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin

_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.21 (Fedora) Server at 192.168.0.119 Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.21 (Fedora)
_SERVER["SERVER_NAME"]	192.168.0.119
_SERVER["SERVER_ADDR"]	192.168.0.119
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	192.168.0.142
_SERVER["DOCUMENT_ROOT"]	/var/www/html/htdocs
_SERVER["SERVER_ADMIN"]	root@localhost
_SERVER["SCRIPT_FILENAME"]	/var/www/html/htdocs/phpinfo.php
_SERVER["REMOTE_PORT"]	56367
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/phpinfo.php
_SERVER["SCRIPT_NAME"]	/phpinfo.php
_SERVER["PHP_SELF"]	/phpinfo.php
_SERVER["REQUEST_TIME"]	1393686936
_ENV["TERM"]	vt102
_ENV["SHELL"]	/bin/sh
_ENV["USER"]	root
_ENV["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin
_ENV["PWD"]	/
_ENV["LANG"]	en_US.UTF-8
_ENV["SHLVL"]	3
_ENV["HOME"]	/
_ENV["_"]	/usr/sbin/httpd

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).