

PHP Version 5.3.28



System	Linux NASE4DDCE 3.12.6 #4 SMP Thu Jun 5 00:31:44 CST 2014 x86_64
Build Date	May 20 2014 03:12:23
Configure Command	'./configure' '--prefix=/root/daily_build/4.1.0/Model/TS-469/../../NasMgmt/HTTP/php5' '--with-config-file-path=/etc/config/php.ini' '--with-config-file-scan-dir' '--with-apxs2=/usr/local/apache/bin/apxs' '--enable-ftp' '--enable-sockets' '--with-gettext' '--with-zlib' '--with-jpeg-dir' '--with-png-dir' '--with-gd' '--with-freetype-dir=/usr' '--enable-gd-native-ttf' '--enable-mbstring' '--with-openssl-dir' '--with-libxml-dir=/opt/cross-project/x86/sys-root/usr' '--enable-sqlite-utf8' '--with-mysql=/root/daily_build/4.1.0/Model/TS-469/../../DataService/DBMS/mysql' '--enable-shared' '--with-mcrypt' '--enable-zend-multibyte' '--with-iconv=/opt/cross-project/x86/sys-root/usr' '--enable-exif' '--with-pdo-mysql=/root/daily_build/4.1.0/Model/TS-469/../../DataService/DBMS/mysql' '--with-curl=/root/daily_build/4.1.0/Model/TS-469/../../SysUtil/curl-7.21.0' '--with-curlwrappers=/root/daily_build/4.1.0/Model/TS-469/../../SysUtil/curl-7.21.0' '--with-xsl=/opt/cross-project/x86/sys-root/usr' '--with-openssl' '--with-pic=yes' '--with-mysqli' '--enable-calendar' '--enable-bcmath' '--with-ldap=/opt/cross-project/x86/sys-root/usr' '--with-imap=/opt/cross-project/x86/sys-root/usr' '--with-imap-ssl=/opt/cross-project/x86/sys-root/usr' '--enable-dba' '--enable-dbase' '--enable-shmop' '--enable-wddx' '--enable-zip' '--with-xmlrpc' '--enable-soap' '--enable-pcntl'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/config/php.ini
Loaded Configuration File	/mnt/HDA_ROOT/.config/php.ini
Scan this dir for additional .ini files	yes
Additional .ini files parsed	(none)
PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS
PHP Extension Build	API20090626,NTS
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	enabled
IPv6 Support	enabled
Registered PHP Streams	compress.zlib, dict, ftp, ftps, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, smtp, smtps, telnet, tftp, php, file, glob, data, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, convert.iconv.*, mcrypt.*, mdecrypt.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.3.0, Copyright (c) 1998-2013 Zend Technologies





with eAccelerator v0.9.6-rc1, Copyright (c) 2004-2007 eAccelerator, by eAccelerator

PHP Credits

Configuration

apache2handler

Apache Version	Apache
Apache API Version	20051115
Server Administrator	admin@NAS
Hostname:Port	10.42.0.63:0
User/Group	httpdusr(99)/0
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 15
Virtual Server	No
Server Root	/usr/local/apache
Loaded Modules	core mod_authn_file mod_authn_default mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_default mod_auth_basic mod_include mod_log_config mod_env mod_setenvif mod_version prefork http_core mod_mime mod_status mod_autoindex mod_asis mod_cgi mod_vhost_alias mod_negotiation mod_dir mod_actions mod_userdir mod_alias mod_rewrite mod_so mod_php5 mod_deflate mod_ssl

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_HOST	10.42.0.63
HTTP_USER_AGENT	Mozilla/5.0 (X11; Linux x86_64; rv:29.0) Gecko/20100101 Firefox/29.0
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	en-us,zh-tw;q=0.8,zh;q=0.5,en;q=0.3
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_COOKIE	remeber=1; nas_1_u=YWRtaW4=; qtoken_account=YWRtaW4=; qtoken=72bb0fc6cf6c4a3d7d86bd208e465355; NAS_USER=admin; home=1; NAS_SID=t7zcpjop; nas_1_a=MC41MzkwNDg3MzU0OTIxNzYxLXgteC14LTAuNDU4NjA2NzE5NjA4MzQ5NzY=; showQuickStart=1; QT=1402798308293; csrftoken=Pg2jgEbTU29UkiG3cTGjnSNCfrgLS7N2; sessionid=3d81af1a31051a126e5b471b1f329eed; QVS_USER=admin
HTTP_CONNECTION	keep-alive
PATH	/bin:/sbin:/usr/bin:/usr/sbin:/usr/bin/X11:/usr/local/sbin:/usr/local/bin
SERVER_SIGNATURE	<address>Apache Server at 10.42.0.63 Port 80</address>
SERVER_SOFTWARE	Apache
SERVER_NAME	10.42.0.63
SERVER_ADDR	10.42.0.63
SERVER_PORT	80
REMOTE_ADDR	10.42.0.1

DOCUMENT_ROOT	/share/Web
SERVER_ADMIN	admin@NAS
SCRIPT_FILENAME	/share/Web/testphp.php
REMOTE_PORT	44502
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/testphp.php
SCRIPT_NAME	/testphp.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /testphp.php HTTP/1.1
Host	10.42.0.63
User-Agent	Mozilla/5.0 (X11; Linux x86_64; rv:29.0) Gecko/20100101 Firefox/29.0
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language	en-us,zh-tw;q=0.8,zh;q=0.5,en;q=0.3
Accept-Encoding	gzip, deflate
Cookie	remeber=1; nas_1_u=YWRtaW4=; qtoken_account=YWRtaW4=; qtoken=72bb0fc6cf6c4a3d7d86bd208e465355; NAS_USER=admin; home=1; NAS_SID=t7zcpjop; nas_1_a=MC41MzkwNDg3MzU0OTIxNzYxLXgteC14LTAuNDU4NjA2NzE5NjA4MzQ5NzY=; showQuickStart=1; QT=1402798308293; csrftoken=Pg2jgEbTU29UkiG3cTGJnSNCfrgLS7N2; sessionId=3d81af1a31051a126e5b471b1f329eed; QVS_USER=admin
Connection	keep-alive
HTTP Response Headers	
X-Powered-By	PHP/5.3.28
Vary	Accept-Encoding
Content-Encoding	gzip

bcmath

BCMath support	enabled
-----------------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

calendar

Calendar support	enabled
-------------------------	---------

Core

PHP Version	5.3.28
--------------------	--------

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On

allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
detect_unicode	On	On
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	30711	30711
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/local/apache/modules	/usr/local/apache/modules
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./etc/config/php	./etc/config/php
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	86400	86400
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	86400	86400
max_input_vars	1000	1000

memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	<i>no value</i>	<i>no value</i>
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	2047M	2047M
precision	12	12
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
register_globals	Off	Off
register_long_arrays	On	On
report_memleaks	On	On
report zend_debug	On	On
request_order	<i>no value</i>	<i>no value</i>
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2047M	2047M
upload_tmp_dir	/share/Web	/share/Web
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

ctype

ctype functions	enabled
------------------------	---------

curl

cURL support	enabled
cURL Information	7.21.0
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	Yes
IDN	Yes

IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	dict, file, ftp, ftps, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, smtp, smtps, telnet, tftp
Host	i686-pc-linux-gnu
SSL Version	OpenSSL/1.0.1e
ZLib Version	1.2.3.3

date

date/time support	enabled
"Olson" Timezone Database Version	2013.3
Timezone Database	internal
Default timezone	Asia/Taipei

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Asia/Taipei	Asia/Taipei

dba

DBA support	enabled
Supported handlers	cdb cdb_make infile flatfile

Directive	Local Value	Master Value
dba.default_handler	flatfile	flatfile

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.30
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

eAccelerator

eAccelerator support	enabled
Version	0.9.6-rc1

Caching Enabled	true
Memory Size	33,554,396 Bytes
Memory Available	33,544,648 Bytes
Memory Allocated	9,748 Bytes
Cached Scripts	2
Removed Scripts	0

Directive	Local Value	Master Value
eaccelerator.allowed_admin_path	<i>no value</i>	<i>no value</i>
eaccelerator.cache_dir	/.eaccelerator.tmp	/.eaccelerator.tmp
eaccelerator.check_mtime	1	1
eaccelerator.debug	0	0
eaccelerator.enable	1	1
eaccelerator.filter	<i>no value</i>	<i>no value</i>
eaccelerator.log_file	<i>no value</i>	<i>no value</i>
eaccelerator.shm_max	1M	1M
eaccelerator.shm_only	0	0
eaccelerator.shm_prune_period	3600	3600
eaccelerator.shm_size	32	32
eaccelerator.shm_ttl	0	0

ereg

Regex Library	Bundled library enabled
----------------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id\$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5-dev

filter

Input Validation and Filtering	enabled
Revision	\$Id: 209a1c3c98c04a5474846e7bbe8ca72054ccfd4f \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw

filter.default_flags	no value	no value
-----------------------------	----------	----------

ftp

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	bundled (2.1.0 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.3.5
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.15beta5
WBMP Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
------------------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru snfru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	1.9

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imagick

imagick module	enabled
imagick module version	2.3.0
imagick classes	Imagick, ImagickDraw, ImagickPixel, ImagickPixelIterator
ImageMagick version	ImageMagick 6.6.1-5 2014-05-20 Q16 http://www.imagemagick.org
ImageMagick copyright	Copyright (C) 1999-2010 ImageMagick Studio LLC
ImageMagick release date	2014-05-20
ImageMagick Number of supported formats:	181
ImageMagick Supported formats	3FR, A, AI, ART, ARW, AVI, AVS, B, BGR, BGRA, BMP, BMP2, BMP3, BRG, C, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, ERF, FAX, FITS, FRACTAL, FTS, G, G3, GBR, GIF, GIF87, GRADIENT, GRAY, GRB, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, JNG, JPEG, JPG, K, K25, KDC, LABEL, M, M2V, M4V, MAP, MAT, MATTE, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFa, PEF, PES, PFA, PFB, PFM, PGM, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSB, PSD, PWP, R, RADIAL-GRADIENT, RAF, RAS, RBG, RGB, RGBA, RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, SVG, SVGZ, TEXT, TGA, THUMBNAI, TILE, TIM, TTC, TTF, TXT, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMV, WPG, X3F, XBM, XC, XCF, XPM, XPS, XV, Y, YCbCr, YCbCrA, YUV

Directive	Local Value	Master Value
imagick.locale_fix	0	0
imagick.progress_monitor	0	0

imap

IMAP c-Client Version	2007e
SSL Support	enabled

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id\$
Total Links	0/unlimited
API Version	3001
Vendor Name	OpenLDAP
Vendor Version	20407

Directive	Local Value	Master Value
ldap.max_links	Unlimited	Unlimited

libxml

libXML support	active
libXML Compiled Version	2.6.30
libXML Loaded Version	20630
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/application /xhtml\+xml)	^(text/application /xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.script_encoding	<i>no value</i>	<i>no value</i>
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.7
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0

Client API version	5.1.36
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/tmp/mysql.sock
MYSQL_INCLUDE	-I/root/daily_build/4.1.0/Model/TS-469/../../DataService/DBMS/mysql /include/mysql
MYSQL_LIBS	-L/root/daily_build/4.1.0/Model/TS-469/../../DataService/DBMS/mysql /lib/mysql -mysqlclient

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/tmp/mysql.sock	/tmp/mysql.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.1.36
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.1.36
MYSQLI_SOCKET	/tmp/mysql.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1e 11 Feb 2013
OpenSSL Header Version	OpenSSL 1.0.1e 11 Feb 2013

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.32 2012-11-30

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite, sqlite2

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	5.1.36

Directive	Local Value	Master Value
pdo_mysql.default_socket	/tmp/mysql.sock	/tmp/mysql.sock

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.7.1

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Id: 21d763042eb5769ae0a09dc1118df2b5aae6fb33 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	disabled (install pecl/bz2)
Native OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

posix

Revision	\$Id: 5a2da3946b96c5afbf3aff8db8a8681f8bedee85 \$
-----------------	---

Reflection

Reflection	enabled
-------------------	----------------

Version	\$Id: 4af6c4c676864b1c0bfa693845af0688645c37cf \$
----------------	---

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/share/CACHEDEV1_DATA /.php_session	/share/CACHEDEV1_DATA /.php_session
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

shmop

shmop support	enabled
----------------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Id: 02ab7893b36d51e9c59da77d7e287eb3b35e1e32 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
-----------	-------------	--------------

soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
------------------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id\$
SQLite Library	2.8.17
SQLite Encoding	UTF-8

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7-dev
SQLite Library	3.7.7.1

Directive	Local Value	Master Value
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0

assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	300	300
from	<i>no value</i>	<i>no value</i>
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,i
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
--------------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.30

xmlreader

XMLReader	enabled
------------------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
------------------	---------

xsl

XSL	enabled
libxslt Version	1.1.22
libxslt compiled against libxml Version	2.6.30
EXSLT	enabled
libexslt Version	1.1.22

zip

Zip	enabled
Extension Version	\$Id: b1a1a3628c4ed0ad78fb0cc4a99b06a56aa281c4 \$
Zip version	1.11.0
Libzip version	0.10.1

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3.3
Linked Version	1.2.3.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
SHELL	/bin/sh
TERM	vt102
USER	root
QBOOT_HDCONF	1
PATH	/bin:/sbin:/usr/bin:/usr/sbin:/usr/bin/X11:/usr/local/sbin:/usr/local/bin
_	/usr/local/apache/bin/apache
PWD	/
SHLVL	5
HOME	/
BOOT_IMAGE	/boot/bzImage

PHP Variables

Variable	Value
_REQUEST["remeber"]	1
_REQUEST["nas_1_u"]	YWRtaW4=
_REQUEST["qtoken_account"]	YWRtaW4=
_REQUEST["qtoken"]	72bb0fc6cf6c4a3d7d86bd208e465355
_REQUEST["NAS_USER"]	admin
_REQUEST["home"]	1
_REQUEST["NAS_SID"]	t7zcpjop
_REQUEST["nas_1_a"]	MC41MzkwNDg3MzU0OTIxNzYxLXgteC14LTAuNDU4NjA2NzE5NjA4MzQ5NzY=
_REQUEST["showQuickStart"]	1
_REQUEST["QT"]	1402798308293
_REQUEST["csrftoken"]	Pg2jgEbTU29UkiG3cTGjNSNcfrgLS7N2

_REQUEST["sessionid"]	3d81af1a31051a126e5b471b1f329eed
_REQUEST["QVS_USER"]	admin
_COOKIE["remeber"]	1
_COOKIE["nas_1_u"]	YWRtaW4=
_COOKIE["qtoken_account"]	YWRtaW4=
_COOKIE["qtoken"]	72bb0fc6cf6c4a3d7d86bd208e465355
_COOKIE["NAS_USER"]	admin
_COOKIE["home"]	1
_COOKIE["NAS_SID"]	t7zcpjop
_COOKIE["nas_1_a"]	MC41MzkwNDg3MzU0OTIxNzYxLXgteC14LTAuNDU4NjA2NzE5NjA4MzQ5NzY=
_COOKIE["showQuickStart"]	1
_COOKIE["QT"]	1402798308293
_COOKIE["csrftoken"]	Pg2jgEbTU29UkiG3cTGjnsNCfrgL57N2
_COOKIE["sessionid"]	3d81af1a31051a126e5b471b1f329eed
_COOKIE["QVS_USER"]	admin
_SERVER["HTTP_HOST"]	10.42.0.63
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (X11; Linux x86_64; rv:29.0) Gecko/20100101 Firefox/29.0
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-us,zh-tw;q=0.8,zh;q=0.5,en;q=0.3
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_COOKIE"]	remeber=1; nas_1_u=YWRtaW4=; qtoken_account=YWRtaW4=; qtoken=72bb0fc6cf6c4a3d7d86bd208e465355; NAS_USER=admin; home=1; NAS_SID=t7zcpjop; nas_1_a=MC41MzkwNDg3MzU0OTIxNzYxLXgteC14LTAuNDU4NjA2NzE5NjA4MzQ5NzY=; showQuickStart=1; QT=1402798308293; csrftoken=Pg2jgEbTU29UkiG3cTGjnsNCfrgL57N2; sessionid=3d81af1a31051a126e5b471b1f329eed; QVS_USER=admin
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["PATH"]	/bin:/sbin:/usr/bin:/usr/sbin:/usr/bin/X11:/usr/local/sbin:/usr/local/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache Server at 10.42.0.63 Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache
_SERVER["SERVER_NAME"]	10.42.0.63
_SERVER["SERVER_ADDR"]	10.42.0.63
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	10.42.0.1
_SERVER["DOCUMENT_ROOT"]	/share/Web
_SERVER["SERVER_ADMIN"]	admin@NAS
_SERVER["SCRIPT_FILENAME"]	/share/Web/testphp.php
_SERVER["REMOTE_PORT"]	44502
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/testphp.php
_SERVER["SCRIPT_NAME"]	/testphp.php
_SERVER["PHP_SELF"]	/testphp.php
_SERVER["REQUEST_TIME"]	1402798337
_SERVER["argv"]	Array ()
_SERVER["argc"]	0
_ENV["SHELL"]	/bin/sh
_ENV["TERM"]	vt102
_ENV["USER"]	root
_ENV["QBOOT_HDCONF"]	1
_ENV["PATH"]	/bin:/sbin:/usr/bin:/usr/sbin:/usr/bin/X11:/usr/local/sbin:/usr/local/bin
ENV[""]	/usr/local/apache/bin/apache

<code>_ENV["PWD"]</code>	/
<code>_ENV["SHLVL"]</code>	5
<code>_ENV["HOME"]</code>	/
<code>_ENV["BOOT_IMAGE"]</code>	/boot/bzImage

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.